CATÁLOGO

2026–2027

CALEFACCIÓN Y PRODUCTOS DE TEMPORADA

AIMUR®
ILUMINACION


EUROLAMP®

Explora todo el universo AIMUR

Descubre nuestras colecciones de iluminación, decoración, climatización y material eléctrico

Explore our lighting, decoration, ventilation and electrical collections


ARTEILLUMINA INTERIOR
Indoor Decorative Lighting




ARTEILLUMINA EXTERIOR
Outdoor Decorative Lighting



ILUMINACIÓN PROFESIONAL
Professional Lighting



ELECTRICAL EQUIPMENT
Electrical Equipment



ESTHETI HOME
Home Decoration



CLIMA
Fans & Seasonal Products



www.aimur.com I Escanea los códigos QR o visita nuestra web para ver todos los catálogos

Todo el espíritu navideño en tus proyectos

Explore la magia de la Navidad con nuestras colecciones exclusivas Magic Christmas


Explore the magic of Christmas with our exclusive Magic Christmas collections

Magic Christmas by EUROLAMP

XMAS LIGHTING
Christmas Lighting

XMAS DECORATION
Christmas Decoration

XMAS SPECIAL OFFERS
Christmas Special Offers







Descubre los catálogos más mágicos del año. Disponibles en www.aimur.com

Company Profile



EUROLAMP® es una empresa griega en constante crecimiento, pionera e innovadora, marcando la diferencia desde hace 26 años. Es una empresa en desarrollo dinámico con nuevos productos de tecnología moderna, que satisfacen los requisitos del comercio moderno, son respetuosos con el medio ambiente y cumplen con todas las regulaciones europeas e internacionales.

Ofrece una amplia gama de productos de iluminación (para uso doméstico y profesional), lámparas, material eléctrico, iluminación y decoración navideña, equipos de aire acondicionado ZEPHYRUS - AERE, electrodomésticos, baterías, sistemas fotovoltaicos LIGHTBORN SYSTEMS, productos de electromovilidad EMOOV (patinetes eléctricos y sea-scooters) así como artículos decorativos ESTHETI.

Mantiene asociaciones fiables y a largo plazo y dispone de una sólida red de ventas con más de 3.000 puntos de venta en Grecia, Chipre y más de 30 países dentro y fuera de la UE.

Invertir en el futuro

En 2024, EUROLAMP completó una inversión de 15 millones de euros, trasladando todas las actividades de la empresa a un nuevo y moderno complejo empresarial. Esto incluye un centro logístico de última generación, nuevas oficinas, salas de exposición y equipos técnicos mejorados.

y equipos informáticos, que combinados con la experiencia, especialización y conocimiento de nuestro recurso humano, garantizan un excelente servicio al cliente.

Nuestros valores

- Respeto al cliente con consistencia y confiabilidad.
- Ética personal y empresarial
- Crear relaciones inquebrantables con nuestros socios
- Innovación y desarrollo continuo
- Productos y servicios de alta calidad
- Capacitación y desarrollo del personal

EUROLAMP®



EUROLAMP is a constantly growing Greek company that pioneers and innovates, making a difference for 26 years!
Is a constantly evolving company with new products of modern technology that meet the requirements of modern trade, are environmentally friendly and follow all the European and International Legislation rules.
Has a wide variety of lighting products (domestic and professional use), bulbs, electrical equipment, Christmas lighting and decoration, air conditioning units ZEPHYRUS - AERE, electrical appliances, batteries, photovoltaic systems LIGHTBORN SYSTEMS, EMOOV electric mobility products (e-scooters and sea-scooters) and home decoration items ESTHETI.
Maintains reliable and long-term partnerships and has a strong sales network with more than 3,000 selling points in Greece, Cyprus and more than 30 countries inside and outside the EU.

An investment to the future

In 2024, EUROLAMP completed a 15 million euros investment, bringing all company's activities into a new modern business complex. This includes a high-end logistics center, new offices, showrooms, upgraded technical and IT equipment, which in combination with the experience, expertise and knowledge of human resources ensure an excellent customer service.

Our values

- Respect with consistency and reliability
- Personal and business ethics
- Creating unbreakable relationships with our partners
- Innovation and continuous development
- High quality products and services
- Continuous investment in human resources

Certifications
Certificados

ISO 9001:2015
ISO 14001:2015
ISO 27001:2013
ISO 45001:2018
CERTIFIED

ORDEN MINISTERIAL
DY8D/G.P. OIK/1348/2004
ISO 13485:2016
CERTIFIED

ISO 37001
ISO 39001

ISO 5001:2018

Suministro de productos y servicios, de acuerdo con las principales especificaciones y requisitos de calidad.
Aplicando estándares internacionales para un sistema unificado de gestión de calidad y medio ambiente, EUROLAMP está certificada según las normas ISO 9001:2015 e ISO 14001:2015 y participa en varios sistemas integrados de reciclaje.
En la industria de biocidas y productos clínicos funciona según con la norma ISO 13485:2016 e I/A 1348 para garantizar la distribución segura e inofensiva de sus productos certificados de acuerdo con la legislación europea e internacional.
Con la responsabilidad corporativa en primer plano y contando con más de 160 empleados, se obtuvieron las certificaciones, ISO 45001:2018 para la gestión de seguridad y salud en el trabajo, ISO 39001:2012 para la gestión de seguridad vial y protección ISO 37001 contra el soborno. También tiene instalado un sistema de gestión de seguridad de la información, conforme a la norma ISO 27001:2013.
Con una visión de desarrollo sustentable, está comprometido con el esfuerzo de reducir el consumo de energía y los contaminantes emitidos relacionados con las actividades de producción y comercialización de equipos eléctricos, a través del sistema de gestión de energía según la norma ISO 50001:2018..

ΣΥΛΛΟΓΙΚΟ ΣΥΣΤΗΜΑ
ΕΝΑΛΛΑΚΤΙΚΗΣ ΔΙΑΧΕΙΡΙΣΗΣ ΦΟΡΗΤΩΝ
ΗΛΕΚΤΡΙΚΩΝ ΣΤΗΛΩΝ

ΦΩΤΟΚΥΚΛΩΣΗ

Provision of products and services, in accordance with the leading specifications and quality requirements

Applying international standards for a complete quality management system and environmental management, EUROLAMP is certified according to **ISO 9001:2015** and **ISO 14001:2015** standards and participates in several integrated recycling systems.

In the biocides and clinical products industry, it works according to the **ISO 13485:2016** standard to ensure the safe and harmless distribution of its certified products in accordance with European and international legislation.

With corporate responsibility in the foreground and having more than 160 employees, EUROLAMP obtained further certifications such as **ISO 45001:2018** for the management of health and safety at work, **ISO 39001:2012** for the management of road safety, and **ISO 37001** for protection against bribery. It has also installed an information security management system compliant with the **ISO 27001:2013** standard.

With a vision of sustainable development, EUROLAMP is committed to the effort of reducing energy consumption and emissions of pollutants related to production and marketing of electrical equipment through the energy management system in accordance with the **ISO 50001:2018** standard.

New Energy Label

Nueva etiqueta energética

Para ayudar a los consumidores de la UE a reducir sus facturas de energía y su huella de carbono, está en vigor una nueva versión de la ampliamente reconocida etiqueta energética de la UE a partir del lunes 1 de marzo de 2021. El nuevo reglamento de la Unión Europea ha cambiado la forma en que se calcula la clase energética, así como la forma en que aparece en los paquetes.
Cabe señalar que con el nuevo método de cálculo no se han realizado cambios en los productos en los que se muestra la clase energética: la calidad y el rendimiento son los mismos. Lo que ha cambiado es la forma de calcular la clase energética según el reglamento 2019/2015 de la Unión Europea.
En los cálculos para la nueva clase energética ahora se tienen en cuenta muchos factores como la direccionalidad, la tensión de funcionamiento, etc.




To help EU consumers reduce their energy bills and carbon footprint, a brand new version of the widely recognized EU energy label comes into force from Monday 1 March 2021. The new European Directive which changes the way of calculation of the energy class, and the way which it appears on the packaging.


No changes were made at the products on which the energy class appears with the new energy label. Quality and efficiency are the same. The change which has been made, is the new way of calculation of the energy class, according to the European Directive 2019/2015.

In the calculation for the new energy class, many factors are calculated, such as directivity, operating voltage, etc.

Antigua etiqueta energética
Previous Energy Label



Nueva etiqueta energética
New Energy Label



Consumo de energía del producto.

The energy concumption of the product

A >210lm/W
B >185lm/W
C >160lm/W
D >135m/W
E >110lm/W
F >110lm/W
G >85lm/W


Reescalada Clase Energética del producto

The rescaled energy efficiency class of the product

Código QR da acceso a las características técnicas del producto

The QR code gives access to the data sheet of the product





CONTENTS
CONTENTS

17
DEHUMIDIFIERS, HUMIDIFIERS
DESHUMIDIFICADORS, HUMIDIFIERS

25
WATER DISPENSERS
Dispensadores de agua

29
HEATED OVER & UNDER BLANKETS
Mantas eléctricas & Calientacamas eléctricos

37
BATHROOM & AIR HEATERS, CLOTHES DRYER
Calefactores de baño, & Secador de ropa

59
COOLING - HEATING
Refrigeración - Calefacción

63
QUARTZ HEATERS & ELECTRIC FIREPLACE
Estufas de cuarzo & Chimenea eléctrica

77
HEATING PANELS, CONVECTORS & OIL HEATERS
Calefactores paneles, Convectors & Radiadores de aceite

89
GAS & KEROSENE INDOOR HEATERS
Calefactores & de interior

93
GAS OUTDOOR HEATERS
Calefactores de exterior

99
OUTDOOR & INDUSTRIAL USE HEATERS
Calefactores de uso profesional & de exterior

115
SPARE PARTS, CODE INDEX & NOTES
Recambios, Índice de referencias & Notas

HUMIDIFIERS IONIZERS

18


300-96003


300-96000


300-96002

DEHUMIDIFIERS

20


300-95013


300-95008



300-95014


300-95012

WATER DISPENSERS

25


920-29710


920-29711


920-29712

HEATED OVER & UNDER BLANKETS

29



300-29207



300-29208


300-29205


300-29206


300-29204




300-29209

BATHROOM & AIR HEATERS CLOTHES DRYER

Calefactores de baño

37


300-41370


300-41371



300-41372


147-29128


147-29121


147-29122
147-29126


300-41101


300-41102


300-41103



300-41208



300-41209


147- 29125
300-41205



920-29125



300-41205



300-41206



300-41356



890-50019



300-41357



300-41109



300-41355



300-41351



890-50017



890-50018



300-41354

COOLING
HEATING

Calefacción

59



300-20018



300-20019

QUARTZ
HEATERS
ELECTRIC
FIREPLACE

Estufas
de cuarzo
Chimenea eléctrica

63



147-29165



920-29165



300-29165



920-29167



147-29163



920-29163



300-41409



147-29700



147-29701



300-80006



300-41408



300-41407



300-41410



147-29156



300-41402



300-41403



300-41406



300-41750

HEATING PANELS CONVECTORS OIL HEATERS

CONV ECTO RES

77



147-29400



300-41601



147-29113



300-41605



300-41702



147-29461



300-41703



300-41704



300-41705



300-41706



300-41611

GAS & KEROSENE INDOOR HEATERS

Calefactores

&

89



147-29676



300-80011



300-42401

GAS OUTDOOR HEATERS

Calefactores

93



147-29600



147-29601



890-50008



300-42071



890-50011



300-42073



147-29624



300-42072



147-29620



890-50013

OUTDOOR & INDUSTRIAL USE HEATERS

Calefactores

&

99



147-29565



300-42040



300-42002



890-50015



300-42003



890-50016



300-42010



300-42053



300-42052



300-42100



147-29173



300-42101



147-29170



147-29172





147-29503




147-29505











Zephyrus **FRESH**

by **EUROLAMP**®

Crea el clima ideal con los nuevos Zephyrus Fresh de EUROLAMP. Aire fresco, ambiente limpio y confort absoluto, todo en un solo sistema.

- Entrada automática de aire fresco
- Filtrado en 4 etapas e indicador de calidad del aire
- Tecnología de ahorro energético mediante IA y clase energética A+++
- Mejor difusión del aire con lamas perforadas Gentle Wind
- 10 años de garantía

Alto rendimiento y estética para crear un ambiente FRESH.

Create the ideal climate with the new Zephyrus Fresh from EUROLAMP. Fresh air, clean environment and absolute comfort – all in one system.

- *Automatic fresh air intake*
- *4-level filtration and air quality indicator*
- *AI energy-saving technology and energy class A+++*
- *Better air diffusion with perforated Gentle Wind blades*
- *10-year warranty*

High performance and aesthetics, which create a FRESH climate.

Zephyrus **PRO**

by **EUROLAMP**®

¡Nueva generación de aires acondicionados Zephyrus PRO de EUROLAMP! A+++ en refrigeración, A+++ en calefacción y máxima eficiencia energética gracias a sus nuevas placas con IA, con un ahorro de hasta el 30 % en refrigeración y el 15 % en calefacción. Las lamas Gentle Wind proporcionan un flujo de aire suave, mientras que la función Turbo ofrece un rendimiento inmediato.

- WiFi y USB para un control total
- Lama más grande y potente
- Montaje sencillo en 20 segundos, sin tornillos
- Fácil limpieza del filtro desde la parte superior

Zephyrus PRO de EUROLAMP: rendimiento, confort y tecnología al siguiente nivel.

New generation of Zephyrus PRO air conditioners by EUROLAMP! A+++ in cooling, A+++ in heating and top energy efficiency with the new AI boards, saving energy up to 30% in cooling and up to 15% in heating. Gentle Wind blades ensure gentle airflow, while Turbo mode provides instant performance.

- *WiFi & USB for ultimate control*
- *Larger & stronger louver*
- *Easy assembly in 20 seconds, no screws*
- *Easy filter cleaning from the top*

Zephyrus PRO by EUROLAMP – Performance, comfort, technology at the next level!



Descubra el catálogo de aire acondicionado 2026

eurolampclima.gr

PROFESSIONAL & HOME Air Conditioners COLLECTION

Zephyrus
by EUROLAMP®

aere
by EUROLAMP®

Tecnología moderna, fiabilidad y calidad, todo en uno.

La nueva estética contemporánea se une a la alta tecnología, la fiabilidad y la máxima calidad de fabricación. Equipados con las funciones más avanzadas, los aires acondicionados Zephyrus y Aere ofrecen un rendimiento y un confort excelentes.

Contemporary aesthetics meet high technology, reliability and superior build quality. Equipped with the most advanced features, **Zephyrus** and **aere** air conditioners offer superior performance and comfort.




NORDIC LIFE



WHY THEY STAND OUT

- Combine humidification and aromatherapy for a more pleasant atmosphere.
- Efficiently reduce humidity for a healthier and more comfortable atmosphere.
- Help protect spaces from mold and unpleasant odors.
- Ideal for homes, offices, storage areas, or holiday houses.
- Modern design with easy mobility and user-friendly operation.

- .
- .
- , ,
  .
- .

DEHUMIDIFIERS HUMIDIFIERS

Deshumidificadores
Humidificadores

HUMIDIFIER & AROMATHERAPY DIFUSER

HUMIDIFICADOR Y DIFUSOR DE AROMATERAPIA

years warranty
años garantía



5W | **4W**

300-96003 | **300-96000**

6202 000 00
6202 000 00

TECHNICAL SPECS
DATOS TÉCNICOS

DC 5V
36dB

6 RS

6 HOURS TIMER
6 HORAS
TEMPORIZADOR

USB

USB CONNECTION
36dB

7 TONOS

AMBIENT LIGHTING

300-96003

Dimensiones LxAnxAl / Dimensions LxWxH (cm)	
Producto/Prduct	14 x 14 x 11
Caja de color/Color Box	14.8 x 14.8 x 12
	46.5 x 46.5 x 38
Embalaje (uds.) Packing (pcs)	**1\27**

300-96000

Dimensiones LxAnxAl / Dimensions LxWxH (cm)	
Producto/Prduct	13.8 x 13.8 x 10
Caja de color/Color Box	14 x 14 x 11
	58 x 44 x 35
Embalaje (uds.) Packing (pcs)	**1\36**

EUROLAMP **B2B**

300-96003
5 207227 545306

300-96000
5 207227 147203

Aromatherapy device
ideal for:
- home
- workplace
- children's room

Silent so that it can be used in bedrooms

- **LED Colorful Lighting**
- 7 color shades
- 6 Hours timer
- USB connection
- umidification 35ml/h
- Tank Capacity: 400ml
- Area of coverage
  300-96003: 20m² / 300-96000: 30m²
- White & Wood color
- 300-96003: NW 0.285kg / GW 0.383kg
  300-96000: NW 0.231kg / GW 0.336kg

Dispositivo de aromaterapia ideal para::
- hogar
- lugar de trabajo
- habitación infantil

Silencioso, apto para utilizarlo en dormitorios

EUROLAMP B2B

RECHARGEABLE HUMIDIFIER & AROMATHERAPY DIFFUSER

HUMIDIFICADOR RECARGABLE Y DIFUSOR DE AROMATERAPIA

2 years warranty
2 años garantía



2.5W

300-96002
6202 000 00

TECHNICAL SPECS
DATOS TÉCNICOS

DC 5V
36dB

8 RS
JELLYFISH EFFECT
EFECTO MEDUSA

USB
USB CONNECTION
36dB

0.30L
DC 5V

30m²
COVERAGE AREA
36dB

Dimensiones LxAnxAl (cm)
Dimensions LxWxH (cm)

Producto/Prduct	8 x 8 x 14.5
Caja de color/Color Box	8.5 x 8.5 x 15
Caja de transporte/Carton Box	46 x 37 x 48

Embalaje (uds.) / Packing (pcs): **1\36**

7 TONOS

5 207227 278846

EUROLAMP
B2B

Aromatherapy device
ideal for:
- home
- workplace
- children's room

Silent so that it can be used in bedrooms

- **LED Colorful Lighting**
- 7 color shades
- USB connection type C
- Battery Autonomy 3h
- 2 Timer Functions
  Continuous - 4h / Jellyfish Effect - 8h
- umidification 30-50ml/h
- Area of coverage 30m²
- White & Marble color
- NW 0.230kg / GW 0.280kg

Dispositivo de aromaterapia ideal para::
- hogar
- lugar de trabajo
- habitación infantil

Silencioso, apto para utilizarlo en dormitorios

EUROLAMP
B2B

DEHUMIDIFIER 10 L

DESHUMIDIFICADOR 10 L

5 years device warranty
años garantía aparato



drying clothes
FUNCTION



Air filtration stages for a healthy and clean environment!
Etapas de filtración del aire para un ambiente saludable y limpio
3

CONTINUOUS DRAINAGE

INCLUDES 30cm DRAINAGE PIPE

245W

300-95013
6202 000 00

TECHNICAL
DATOS TÉCNICOS

220-240V ~ 50Hz
42dB

10L 24h
HUMIDITY EXTRACTION

24 RS
24h TIMER
TEMPORIZADOR 24

88
LED DISPLAY
42dB

2.1L
220-240V ~ 50Hz

50m²
220-240V ~ 50Hz

Dimensiones LxAnxAl (cm)

Dimensions LxWxH (cm)

Producto/Prduct	27 x 20.5 x 40.6
Caja de color/Color Box	29.6 x 23.1 x 44

Embalaje (uds.) / Packing (pcs): **1\1**



EUROLAMP
B2B

5 207227 256295

- Led display with touch control panel
- 24h Timer
- Humidity extraction 10L / 24h
- Handle & wheels for easy carrying
- Light indicator for full container
- Container control system
  The device closes automatically when the container is full 2.1L
- Humidity Setting From Rh30%-80%
- Clothes Drying Mode
- Carbon filter included
- Refrigerant R290 environment friendly
- Air volume 100m³/h
- Area of coverage 50m²
- White Color
- NW 8.5kg / GW 9.5kg

- Pantalla LED con panel de control táctil
- TEMPORIZADOR DE 24 HORAS
- CAPACIDAD DE DESHUMIDIFICACIÓN 10L / 24h
- Handle & wheels para facilitar el transporte
- Indicador luminoso de depósito lleno
- Sistema de control del depósito
  El aparato se apaga automáticamente
  cuando el depósito está lleno 2.1L
- Ajuste de humedad de Rh30%-80%
- Modo de secado de ropa
- Filtro de carbón incluido
- Refrigerante R290 respetuoso con el medio ambiente
- Caudal de aire 100m3/h
- SUPERFICIE DE COBERTURA 50m2
- Color blanco
- Peso neto 8.5kg / Peso bruto 9.5kg

DEHUMIDIFIER 20 L

DESHUMIDIFICADOR 20 L

5 years device warranty
años garantía aparato



Air filtration stages for a healthy and clean environment!
Etapas de filtración del aire para un ambiente saludable y limpio
3

CONTINUOUS DRAINAGE

INCLUDES 30cm DRAINAGE PIPE



drying clothes *FUNCTION*

for video
SCAN ME

320W

300-95008
6202 000 00

TECHNICAL
DATOS TÉCNICOS

220-240V ~ 50Hz
48dB

20L 24h
HUMIDITY EXTRACTION

24 RS
24h TIMER
TEMPORIZADOR 24

88
LED DISPLAY
48dB

5.5L
220-240V ~ 50Hz

110m²
220-240V ~ 50Hz

Dimensiones LxAnxAl (cm)

Dimensions LxWxH (cm)

Producto/Prduct	34 x 21 x 55
Caja de color/Color Box	38.5 x 35 x 65.8

Embalaje (uds.) / Packing (pcs): **1\1**



5 207227 105739

EUROLAMP
B2B

- Led display with control panel
- 24h Timer
- Humidity extraction 20L / 24h
- Handle & wheels for easy carrying
- Light indicator for full container
  Light indicator (BLUE/GREEN/RED)
  Changes according to the room's humidity
- Container control system
  The device closes automatically when the container is full 5.5L
- Humidity Setting From Rh30%-80%
- Quiet Mode
- Clothes Drying Mode
- Automatic defrost function
- Power off - Remembering device settings at shutdown
- Carbon & Ion filter included
- Refrigerant R290
  environment friendly
- Air volume 195m³/h
- Area of coverage 110m²
- White Color
- NW 12.0kg / GW 13.0kg

- Pantalla LED con panel de control
- TEMPORIZADOR DE 24 HORAS
- CAPACIDAD DE DESHUMIDIFICACIÓN 20L / 24h
- Handle & wheels para facilitar el transporte
- Indicador luminoso de depósito lleno
  PILOTO indicator (BLUE/GREEN/RED)
  Changes according to the room's humidity
- Sistema de control del depósito
  El aparato se apaga automáticamente when
  the container is full 5.5L
- Ajuste de humedad de Rh30%-80%
- Modo silencioso
- Modo de secado de ropa
- Función de descongelación automática
- Memoria de ajustes al apagar el aparato

- Filtros de carbón e ionizador incluidos
- Refrigerante R290
  respetuoso con el medio ambiente
- Caudal de aire 195m3/h
- SUPERFICIE DE COBERTURA 110m2
- Color blanco
- Peso neto 12.0kg / Peso bruto 13.0kg

DEHUMIDIFIER 30 L

DESHUMIDIFICADOR 30 L

5 years device warranty
5 años garantía aparato

λειτουργία **Wifi** function included



CONTINUOUS DRAINAGE

INCLUDES 30cm DRAINAGE PIPE

480W	TECHNICAL DATOS TÉCNICOS	30L 24h	Zzz	88	6.5L	150m²
300-95014 **6202 000 00**	220-240V ~ 50Hz 42dB	HUMIDITY EXTRACTION	SILENT	LED DISPLAY 42dB	220-240V ~ 50Hz	220-240V ~ 50Hz

Dimensiones LxAnxAl (cm)

Dimensions LxWxH (cm)

Producto/Prduct	37 x 21 x 60.5
Caja de color/Color Box	40.6 x 25.4 x 65.5

Embalaje (uds.) / Packing (pcs): **1\1**



5 207227 633379

EUROLAMP
B2B

- Led display with touch control panel
- 24h Timer
- Humidity extraction 30L / 24h
- Handle & wheels for easy carrying
- Light indicator for full container
  Light indicator (BLUE/GREEN/RED)
  Changes according to the room's humidity
  Container control system
  (turns off automatically when the container is full)
- Humidity Setting From Rh30%-80%
- Quiet Mode
- Clothes Drying Mode
- Automatic defrost function
- Power off - Remembering device settings at shutdown
- Anion function included
- Wifi function included
- Refrigerant R290/80g environment friendly
- Air volume 150m³/h
- Area of coverage 150m²
- White & Silver Color
- NW 14kg / GW 15kg

- Pantalla LED con panel de control táctil
- TEMPORIZADOR DE 24 HORAS
- CAPACIDAD DE DESHUMIDIFICACIÓN 30L / 24h
- Handle & wheels para facilitar el transporte
- Indicador luminoso de depósito lleno
  PILOTO indicator (BLUE/GREEN/RED)
  Changes according to the room's humidity
  Sistema de control del depósito
  (turns off automatically cuando el depósito está lleno)
- Ajuste de humedad de Rh30%-80%
- Modo silencioso
- Modo de secado de ropa
- Función de descongelación automática
- Memoria de ajustes al apagar el aparato

- Anion function included
- Wifi function included
- Refrigerante R290/80g respetuoso con el medio ambiente
- Caudal de aire 150m3/h
- SUPERFICIE DE COBERTURA 150m²
- Color blanco y plata
- Peso neto 14kg / Peso bruto 15kg

DEHUMIDIFIER 30 L

DESHUMIDIFICADOR 30 L

5 years device warranty
5 años garantía aparato



Air filtration stages for a healthy and clean environment!
Etapas de filtración del aire para un ambiente saludable y limpio
3

CONTINUOUS DRAINAGE

INCLUDES 30cm DRAINAGE PIPE



drying clothes *FUNCTION*

for video
SCAN ME

540W

TECHNICAL
DATOS TÉCNICOS

30L 24h

Zzz

88

4.0lt

150m²

300-95012
6202 000 00

220-240V ~ 50Hz
51dB

HUMIDITY EXTRACTION

SILENT

LED DISPLAY
51dB

220-240V ~ 50Hz

220-240V ~ 50Hz

Dimensiones LxAnxAl (cm)

Dimensions LxWxH (cm)

Producto/Prduct	37 x 25 x 58.5
Caja de color/Color Box	42.8 x 30.7 x 63.5

Embalaje (uds.) / Packing (pcs) **1\1**



5 207227 105760

EUROLAMP
B2B

- Led display with touch control panel
- 24h Timer
- Humidity extraction 30L / 24h
- Handle & wheels for easy carrying
- Light indicator for full container
  Light indicator (BLUE/GREEN/RED)
  Changes according to the room's humidity
- Container control system
  The device closes automatically when the container is full 4.0L
- Humidity Setting From Rh30%-80%
- Quiet Mode
- Clothes Drying Mode
- Automatic defrost function
- Power off - Remembering device settings at shutdown
- Carbon & Ion filter included
- Refrigerant R290
  environment friendly
- Air volume 210m³/h
- Area of coverage 150m²
- White & Grey Color
- NW 18kg / GW 19kg

- Pantalla LED con panel de control táctil
- TEMPORIZADOR DE 24 HORAS
- CAPACIDAD DE DESHUMIDIFICACIÓN 30L / 24h
- Handle & wheels para facilitar el transporte
- Indicador luminoso de depósito lleno
PILOTO indicator (BLUE/GREEN/RED)
Changes according to the room's humidity
- Sistema de control del depósito
El aparato se apaga automáticamente when the container is full 4.0L
- Ajuste de humedad de Rh30%-80%
- Modo silencioso
- Modo de secado de ropa
- Función de descongelación automática
- Memoria de ajustes al apagar el aparato

- Filtros de carbón e ionizador incluidos
- Refrigerante R290
respetuoso con el medio ambiente
- Caudal de aire 210m3/h
- SUPERFICIE DE COBERTURA 150m2
- Color blanco y gris
- Peso neto 18kg / Peso bruto 19kg


AURA



WHY THEY STAND OUT

- Provide instant cooling comfort for personal and professional spaces.
- Ideal for offices, bedrooms, student rooms
- Modern design combined with user-friendly functionality.

WATER DISPENSERS

Dispensadores de agua

WATER DISPENSER WITH STORAGE CABINET

DISPENSADOR DE AGUA CON ARMARIO DE ALMACENAMIENTO

2 years warranty
años garantía



HOT 550W
COLD 100W

920-29710
6202 000 00

DATOS TÉCNICOS
L SPECS

220-240V
50/60Hz

2.0L
COLD WATER TANK CAPACITY 100W
SALIDA DE AGUA FRÍA

1.0L
WARM WATER TANK CAPACITY 550W
50/60Hz

EU PLUG
EU PLUG
50/60Hz

Dimensiones LxAnxAl (cm)
Dimensions LxWxH (cm)

Producto/Prduct	31 x 31 x 95
Caja de color/Color Box	32.5 x 32.6 x 103

Embalaje (uds.) / Packing (pcs): **1\1**



5 207227 558566

EUROLAMP
B2B

- Hot, room temperature & cold
- Bottle Placement:
  Top-loading (up to 15 kg)
- Stainless steel hot
  and cold water tank
- Top loading with
  bottom storage cabinet
- Operation light indicator
- High efficient compressor cooling
- Automatic dry heating protection
  system
- Plastic & Metallic
- IPX1
- Black Color
- NW 11.0kg/GW 12.5kg

- Agua caliente, a temperatura ambiente y fría
- Colocación de la botella: Carga superior (up to 15 kg)
- Depósito de acero inoxidable para agua caliente y fría
- Top loading CON bottom storage cabinet
- Piloto de funcionamiento
- Refrigeración mediante compresor de alta eficiencia
- Protección automática contra calentamiento en seco system
- Plástico y metal
- IPX1
- Color negro
- Peso neto 11.0kg/Peso bruto 12.5kg

WATER DISPENSER WITH STORAGE CABINET

DISPENSADOR DE AGUA CON ARMARIO DE ALMACENAMIENTO

2 years warranty
años garantía



HOT 550W
COLD 100W

920-29711
6202 000 00

DATOS TÉCNICOS
L SPECS

220-240V
50/60Hz

2.0L
COLD WATER TANK CAPACITY 100W
SALIDA DE AGUA FRÍA

1.0L
WARM WATER TANK CAPACITY 550W
50/60Hz

EU PLUG
EU PLUG
50/60Hz

Dimensiones LxAnxAl (cm)
Dimensions LxWxH (cm)

Producto/Prduct	27 x 29.5 x 85
Caja de color/Color Box	31.6 x 30.3 x 87.7

Embalaje (uds.)
Packing (pcs) **1\1**



- Hot, room temperature & cold
- Bottle Placement:
  Top-loading (up to 15 kg)
- Stainless steel hot
  and cold water tank
- Top loading with
  bottom storage cabinet
- Operation light indicator
- High efficient compressor cooling
- Automatic dry heating protection
  system
- Plastic & Metallic
- IPX1
- White & Black Color
- NW 10.3kg/GW 11.5kg

- Agua caliente, a temperatura ambiente y fría
- Colocación de la botella:
  Carga superior (up to 15 kg)
- Depósito de acero inoxidable para agua caliente
  y fría
- Top loading CON
  bottom storage cabinet
- Piloto de funcionamiento
- Refrigeración mediante compresor de alta eficiencia
- Protección automática contra calentamiento en seco
  system
- Plástico y metal
- IPX1
- Color blanco y negro
- Peso neto 10.3kg/Peso bruto 11.5kg

5 207227 558573

EUROLAMP
B2B

WATER DISPENSER WITH STORAGE CABINET

DISPENSADOR DE AGUA CON ARMARIO DE ALMACENAMIENTO

2 years warranty
2 años garantía



HOT 550W
COLD 100W

920-29712
6202 000 00

L SPECS
DATOS TÉCNICOS

220-240V
50/60Hz

2.0L
COLD WATER TANK CAPACITY
SALIDA DE AGUA FRÍA

1.0L
WARM WATER TANK CAPACITY
50/60Hz

EU PLUG
EU PLUG
50/60Hz

Dimensiones LxAnxAl (cm)
Dimensions LxWxH (cm)

Producto/Prduct	31 x 31 x 97
Caja de color/Color Box	32.6 x 32.9 x 130

Embalaje (uds.)
Packing (pcs) **1\1**

- Hot, room temperature & cold
- Bottle Placement:
  Top-loading (up to 15 kg)
- Stainless steel hot
  and cold water tank
- Top loading with
  bottom storage cabinet
- Operation light indicator
- High efficient compressor cooling
- Automatic dry heating protection
  system
- Plastic & Metallic
- IPX1
- White Color
- NW 12.0kg/GW 13.0kg

- Agua caliente, a temperatura ambiente y fría
- Colocación de la botella:
Carga superior (up to 15 kg)
- Depósito de acero inoxidable para agua caliente
y fría
- Top loading CON
bottom storage cabinet
- Piloto de funcionamiento
- Refrigeración mediante compresor de alta eficiencia
- Protección automática contra calentamiento en seco
system
- Plástico y metal
- IPX1
- Color blanco
- Peso neto 12.0kg/Peso bruto 13.0kg



5 207227 558580

EUROLAMP
B2B



WHY THEY STAND OUT

- Provide immediate and even warmth for maximum sleeping comfort.
- Ideal for energy-efficient heating without increasing central heating usage.
- Multiple heat settings for full control of personal comfort.
- Equipped with safety features such as overheat protection and auto shut-off.
- Washable and easy to maintain for everyday hygienic use.

HEATED OVER & UNDER BLANKETS

Mantas eléctricas

Calientacamas eléctricos

SINGLE WASHABLE HEATED UNDERBLANKET

CALIENTACAMAS ELÉCTRICO INDIVIDUAL LAVABLE

2 years warranty
años garantía



60W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50Hz

300-29207
6202 000 00

PROTECCIÓN
OVER HEAT PROTECTION

CALOR INSTANTÁNEO
INSTANT HEAT

LAVABLE
WASHABLE



- Detachable Controller with 3 Setting Options
- Elastic band for mattress support
- Power Indicating Light
- Overheat Protection System
- Cable Length 2.1m
- 100% Polyester
- White Color
- NW 1.05kg / GW 1.2kg

- Mando extraíble CON 3 niveles de funcionamiento
- Banda elástica para sujetar al colchón
- PILOTO DE FUNCIONAMIENTO
- Sistema de protección contra sobrecalentamiento
- Longitud del cable 2.1m
- 100 % poliéster
- Color blanco
- Peso neto 1.05kg / Peso bruto 1.2kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/12**
62.0cm ⇢	30.0cm ⇢	80.0cm ⇢	
32.0cm ↗	10.0cm ↗	150.0cm ↑	
58.0cm ↑	28.0cm ↑		

SCAN ME
EUROLAMP B2B

5 207227 638220

DOUBLE WASHABLE HEATED UNDERBLANKET

CALIENTACAMAS ELÉCTRICO DOBLE LAVABLE

2 years warranty
años garantía



2x60W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-29208
6202 000 00

PROTECCIÓN
OVER HEAT PROTECTION

CALOR INSTANTÁNEO
INSTANT HEAT

LAVABLE
WASHABLE



- Detachable Controller with 3 Setting Options
- Elastic band for mattress support
- Power Indicating Light
- Overheat Protection System
- Cable Length 2.1m
- 100% Polyester
- White Color
- NW 1.95kg / GW 2.18kg

- Mando extraíble CON 3 niveles de funcionamiento
- Banda elástica para sujetar al colchón
- PILOTO DE FUNCIONAMIENTO
- Sistema de protección contra sobrecalentamiento
- Longitud del cable 2.1m
- 100 % poliéster
- Color blanco
- Peso neto 1.95kg / Peso bruto 2.18kg

CARTON BOX	COLOR BOX	PRODUCT	
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/6**
70.0cm	36.0cm	140.0cm	
38.0cm	12.5cm	150.0cm	
39.5cm	34.0cm		

SCAN ME
EUROLAMP B2B

5 207227 638237

SINGLE WASHABLE HEATED UNDERBLANKET WITH AUTOMATIC TIMER

CALIENTACAMAS ELÉCTRICO INDIVIDUAL LAVABLE CON TEMPORIZADOR AUTOMÁTICO

2 years warranty
años garantía



60W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-29205
6202 046 30

PROTECCIÓN
OVER HEAT PROTECTION

CALOR INSTANTÁNEO
INSTANT HEAT

LAVABLE
WASHABLE



- Detachable Controller with 3 Setting Options
- 3 hour automatic timer
- Power Indicating Light
- Elastic band for mattress support
- Overheat Protection System
- Cable Length 2m
- 100% Polyester
- White Color
- NW 0.95kg / GW 1.05kg

- Mando extraíble CON 3 niveles de funcionamiento
- Temporizador automático de 3 horas
- PILOTO DE FUNCIONAMIENTO
- Banda elástica para sujetar al colchón
- Sistema de protección contra sobrecalentamiento
- Longitud del cable 2m
- 100 % poliéster
- Color blanco
- Peso neto 0.95kg / Peso bruto 1.05kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/12
60.0cm	41.0cm	80.0cm	
43.5cm	9.5cm	150.0cm	
54.5cm	26.0cm		

SCAN ME
EUROLAMP B2B

5 207227 362637

DOUBLE WASHABLE HEATED UNDERBLANKET WITH AUTOMATIC TIMER

CALIENTACAMAS ELÉCTRICO DOBLE LAVABLE CON TEMPORIZADOR AUTOMÁTICO

2 years warranty
años garantía



2x60W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-29206
6202 073 55

PROTECCIÓN
OVER HEAT PROTECTION

CALOR INSTANTÁNEO
INSTANT HEAT

LAVABLE
WASHABLE



- 2 Detachable Controller with 3 Setting Options
- 3 hour automatic timer
- Power Indicating Light
- Elastic band for mattress support
- Overheat Protection System
- Cable Length 2m
- 100% Polyester
- White Color
- NW 1.7kg / GW 1.9kg

- 2 Mando extraíble CON 3 niveles de funcionamiento
- Temporizador automático de 3 horas
- PILOTO DE FUNCIONAMIENTO
- Banda elástica para sujetar al colchón
- Sistema de protección contra sobrecalentamiento
- Longitud del cable 2m
- 100 % poliéster
- Color blanco
- Peso neto 1.7kg / Peso bruto 1.9kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/6
70.0cm 43.0cm 39.0cm	42.0cm 11.0cm 37.0cm	140.0cm 160.0cm	

SCAN ME
EUROLAMP B2B

5 207227 362651

FLEECE ELECTRIC BLANKET

MANTA ELÉCTRICA DE FORRO POLAR

2 years warranty
años garantía



120W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-29204
6202 111 70

PROTECCIÓN
OVER HEAT PROTECTION

CALOR INSTANTÁNEO
INSTANT HEAT

30ºC
WASHABLE



- Controller with LED screen and 10 Setting Options
- Timer 1 to 10 hours
- Overheat Protection System
- Cable Length 2,4m
- Product Material: Grey Fleece and beige Teddy Fleece
- Color: Grey and Beige
- NW 1.85kg / GW 2kg

- Mando con pantalla LED and 10 Niveles de funcionamiento
- TEMPORIZADOR 1 to 10 HORAS
- Sistema de protección contra sobrecalentamiento
- Longitud del cable 2,4m
- PRODUCTO Material: Grey Fleece and beige Teddy Fleece
- Color: Grey and Beige
- Peso neto 1.85kg / Peso bruto 2kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/6**
42.0cm →	36.0cm →	130.0cm →	
38.0cm ↗	13.0cm ↗	180.0cm ↑	
69.0cm ↑	33.0cm ↑		

SCAN ME
EUROLAMP B2B

5 207227 249723



NTC+PTC heating systems

NTC

A

Prevents overheating of the blanket

PTC

SCAN ME
EUROLAMP B2B

Makes the electric blanket maintain a constant temperature so as not to exceed the desired limit

FLEECE ELECTRIC BLANKET

MANTA ELÉCTRICA DE FORRO POLAR

2 years warranty
años garantía



130W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-29209
6202 000 00

PROTECCIÓN
OVER HEAT PROTECTION

CALOR INSTANTÁNEO
INSTANT HEAT

40ºC
WASHABLE



- Controller with LED screen and 10 Setting Options
- Timer 1 to 9 hours
- Overheat Protection System
- Cable Length 2,1m
- Product Material: Fleece
- Color: Grey
- NW 1.8kg / GW 1.95kg

- Mando con pantalla LED and 10 Niveles de funcionamiento
- TEMPORIZADOR 1 to 9 HORAS
- Sistema de protección contra sobrecalentamiento
- Longitud del cable 2,1m
- PRODUCTO Material: Fleece
- Color: Grey
- Peso neto 1.8kg / Peso bruto 1.95kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/6**
41.0cm →	34.0cm →	130.0cm →	
36.0cm ↗	13.0cm ↗	180.0cm ↑	
66.0cm ↑	32.0cm ↑		

SCAN ME
EUROLAMP B2B

5 207227 638244



NTC+PTC heating systems

NTC

A

Prevents overheating of the blanket

PTC

SCAN ME
EUROLAMP B2B

Makes the electric blanket maintain a constant temperature so as not to exceed the desired limit





WHY THEY STAND OUT

- Provide fast room heating with immediate feeling of warmth.
- Ideal for bedrooms and everyday winter use.
- Designed for safe use in humid spaces.
- Ideal for quick heating before or after shower use
- Compact and practical design for easy transport and placement.
- Multiple heat settings for adjustable comfort levels.

BATHROOM & AIR HEATERS CLOTHES DRYER

Calefactores de baño


Secador de ropa

CERAMIC PORTABLE CLOTHES & SHOES DRYER

SECADOR PORTÁTIL CERÁMICO PARA ROPA Y CALZADO

2 years warranty
años garantía





900W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-41370
6202 117 35

IPX1

GRADO DE PROTECCIÓN
TYPE OF PROTECTION

180 TES

180
TEMPORIZADOR
180 MINUTES TIMER

60ºC

SECADO
DRYING TEMPERATURE



- Cord length 1.5m
- Khaki Color
- Plastic, metal & oxford cloth
- Clothes dryer: Timer of 180 minutes and safety switch
- Clothes dryer: Fast drying, circular flow, drying temperature 60 degree Celsius
- Clothes dryer: Clothes loadweight 25 kg
- NW 2.8kg / GW 3.5kg

- Longitud del cable 1.5m
- Color caqui
- Plástico, metal & oxford cloth
- SECADOR DE ROPA: TEMPORIZADOR of 180 minutos and Interruptor de seguridad
- SECADOR DE ROPA: Fast SECADO, circular flow, SECADO TEMPERATURA 60 degree Celsius
- SECADOR DE ROPA: Clothes loadweight 25 kg
- Peso neto 2.8kg / Peso bruto 3.5kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
73.0cm	73.0cm	70cm	
21.0cm	21.0cm	45cm	
20.5cm	20.5cm	150cm	

- Shoe dryer: 220-240V, 8W (2x4W), 50Hz, IP22
- Shoe dryer: Height 2.8cm, width 4.5cm, length 19cm
- Shoe dryer: Color gray, metal & plastic, PTC heating, VDE plug, 1.4m cable length
- NW 0.3kg / GW 0.374kg

- Shoe dryer: 220-240V, 8W (2x4W), 50Hz, IP22
- Shoe dryer: Height 2.8cm, width 4.5cm, length 19cm
- Shoe dryer: Color gray, metal & Plástico, PTC CALEFACCIÓN, VDE plug, 1.4m Longitud del cable
- Peso neto 0.3kg / Peso bruto 0.374kg

SCAN ME
EUROLAMP B2B

5 207227 400254

ELECTRIC TOWEL HANGER

TOALLERO ELÉCTRICO

2 years warranty
años garantía



65W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41371
6202 055 85

230V
~ 50Hz

IPX1

GRADO DE PROTECCIÓN
TYPE OF PROTECTION

PILOTO DE FUNCIONAMIENTO
POWERINDICATING LIGHT

45ºC

SECADO
DRYING TEMPERATURE



- With 5 heating bars
- Temperature 45ºC
- Plastic & aluminium
- Height 44cm
- Cord length 145cm
- Grey & White Color
- NW 0.86kg / GW 1.28kg

- CON 5 CALEFACCIÓN bars
- TEMPERATURA 45oC
- Plástico y aluminio
- Height 44cm
- Longitud del cable 145cm
- Color gris y blanco
- Peso neto 0.86kg / Peso bruto 1.28kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/6
47.0cm	61.5cm	60cm	
35.5cm	5.5cm	4cm	
62.5cm	46.0cm	44cm	

SCAN ME
EUROLAMP B2B

5 207227 399497

GARMENT DRYING & IRONING SYSTEM

SISTEMA DE SECADO Y PLANCHADO DE PRENDAS

2 years warranty
años garantía

NEW

DRY REFRESH & IRON

easily, quickly, effortlessly!

&

, , !



1400W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

IPX2

GRADO
DE PROTECCIÓN
INGRESS PROTECTION

60
TEMPORIZADOR
60 MINUTES TIMER

TES

2kg

MAX LOADING CAPACITY

300-41372
6202 000 00



- Stretching & Hot-Air Drying Technology
- Heating Element: Heating coil
- 60 minutes timer
- Adjustable Height 67-109cm
- Cable Length 1m
- Max loading capacity: 2kg
- Mechanical dial-knob control
- Included accessories: Adjustable telescopic rod Hanger, Water fender Upper garment cloth balloon
- White Color
- NW 3.03kg / GW 3.50kg

- Stretching & Hot-Air SECADO Technology
- ELEMENTO CALEFACTOR: CALEFACCIÓN coil
- TEMPORIZADOR DE 60 MINUTOS
- Altura regulable 67-109cm
- Longitud del cable 1m
- CARGA MÁXIMA: 2kg
- Mechanical dial-knob control
- Included accessories: Adjustable telescopic rod Hanger, Water fender Upper garment cloth balloon
- Color blanco
- Peso neto 3.03kg / Peso bruto 3.50kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/2**
47.5cm ↔	40.5cm ↔	20.4cm ↔	
42.0cm ↗	23.0cm ↗	32.8cm ↗	
33.0cm ↑	31.0cm ↑	109cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 665950

WALL MOUNTED FAN HEATER FOR BATHROOM

AEROTERMO MURAL PARA BAÑO

2 years warranty
años garantía



for video
SCAN ME

2000W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50Hz

147-29128
6202 100 60

12 RS	IP22			25m²
12 HORAS TEMPORIZADOR 12 HOURS TIMER	GRADO DE PROTECCIÓN TYPE OF PROTECTION	WITH REMOTE CONTROL	OPEN WINDOW FUNCTION	SUPERFICIE AREA COVERAGE



- Led Display With Control Panel
- Adjustable hermostat
- 2 Setting Options
  1000W / 2000W
- Open Window Function
  When the room temp. drops suddenly the heater will turn off automatically.
- 12 Hours timer
- Temperature range 10-39ºC
- Daily & Weekly Programming
- Over heat protection
- Installation Height 1.8m
- Area of coverage 25m²
- Grey & White Color
- NW 1.7kg / GW 2.0kg

- Led &
-
- 2
  1000W / 2000W
-

When the room temp. drops suddenly
the heater will turn off automatically.
- TEMPORIZADOR DE 12 HORAS
- TEMPERATURA range 10-39oC
- Daily & Weekly Programming
- PROTECCIÓN CONTRA SOBRECALENTAMIENTO
- Altura de instalación 1.8m
- SUPERFICIE DE COBERTURA 25m²
- Color gris y blanco
- Peso neto 1.7kg / Peso bruto 2.0kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/6**
60.0cm ↔	30.0cm ↔	26.0cm ↔	
58.0cm ↗	19.0cm ↗	16.4cm ↗	
34.0cm ↑	31.5cm ↑	28.5cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 058196

WALL MOUNTED QUARTZ HEATER FOR BATHROOM

ESTUFA MURAL DE CUARZO PARA BAÑO

2 years warranty
años garantía



for video
SCAN ME

1200W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29121
6202 044 60

220-240V
~ 50/60Hz

0DB	IP24	PILOTO	()	15m²
0dB SILENT	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	POWER INDICATING LIGHT	PULL SWITCH	SUPERFICIE / AREA COVERAGE



- Quartz Tubes
- 2 Setting Options
  600W / 1200W
- 0dB Silent while in operation
- Pull Switch
- Installation Height 1.8-2.0m
- Area of coverage 15m²
- Silver Color
- NW 1.1kg / GW 1.2kg

- TUBOS DE CUARZO
- 2 niveles de funcionamiento
  600W / 1200W
- 0dB SILENCIOSO while in operation
- Interruptor de cordón
- Altura de instalación 1.8-2.0m
- SUPERFICIE DE COBERTURA 15m²
- Color plata
- Peso neto 1.1kg / Peso bruto 1.2kg

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
58.0cm ↔ 44.5cm ↗ 54.0cm ↑	57.0cm ↔ 14.5cm ↗ 17.5cm ↑	56.5cm ↔ 14.0cm ↗ 17.0cm ↑	1/9

SCAN ME
EUROLAMP B2B

5 206139 061430

FAN HEATER FOR BATHROOM

AEROTERMO PARA BAÑO

2 years warranty
años garantía

147-29122

for video
SCAN ME



OSCILLATING
OSCILANTE





147-29126

2000W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IP21			20m²

147-29122
147-29126
6202 041 15
6202 035 95

147-29122

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	**1/6**
59.4cm 24.3cm 39.0cm	23.3cm 12.5cm 29.2cm	23.0cm 11.7cm 28.5cm	

147-29126

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	**1/6**
51.5cm 24.0cm 39.0cm	23.0cm 12.5cm 25.0cm	22.5cm 11.5cm 24.5cm	

- Adjustable hermostat
- 2 Options for Hot Air
  1000W / 2000W
- ir circulation mode
- Power Indicating Light
- Over heat Protection
- Area of coverage 20m²
- White Color
- 147-29126
  NW 1.13kg / GW 1.21kg
- 147-29122 (oscillating)
  NW 1.3kg / GW 1.45kg

CARTON BOX

SCAN ME
EUROLAMP B2B
147-29126

5 207227 003349

SCAN ME
EUROLAMP B2B
147-29122

5 207227 029066

FAN HEATER FOR BATHROOM

AEROTERMO PARA BAÑO

2 years warranty
años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41101
300-41102
300-41103

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IP21			20m²

6202 030 75
6202 030 75
6202 030 75



- Adjustable hermostat
- Tip-Over Safety Switch
- 2 Options for Hot Air
  1000W / 2000W
- ir circulation mode
- Power Indicating Light
- Over heat Protection
- Plastic
- Area of coverage 20m²
- 300-41101 White & Green Color
- 300-41102 White & Blue Color
- 300-41103 Black & Orange Color
- NW 1.0kg / GW 1.10kg

-
-
- 2
  1000W / 2000W
-
-
-
-
- 20m²
- 300-41101 &
- 300-41102 &
- 300-41103 &
- NW 1.0kg / GW 1.10kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/8
57.5cm 20.3cm 52.5cm	19.3cm 14.0cm 25.5cm	19.0cm 13.5cm 25.0cm	

SCAN ME
EUROLAMP B2B
300-411101
5 207227 522796

SCAN ME
EUROLAMP B2B
300-411102
5 207227 522802

SCAN ME
EUROLAMP B2B
300-411103
5 207227 522819

FAN HEATER

AEROTERMO

2 years warranty
años garantía





2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41208
300-41209

6202 000 00
6202 000 00

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IPX0			20m²



- Adjustable hermostat
- Tip-Over Safety Switch
- 2 Options for Hot Air
  1000W / 2000W
- ir circulation mode
- Power Indicating Light
- Over heat Protection
- Plastic PP
- Area of coverage 20m²
- 300-41208 White & Orange Color
- 300-41209 Black & Blue Color
- NW 0.9kg / GW 1.0kg

-
-
- 2
  1000W / 2000W
-
-
-
- PP
- 20m²
- 300-41208 &
- 300-41209 &
- NW 0.9kg / GW 1.0kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/8**
55.5cm →	21.5cm →	21.0cm →	
22.4cm ↗	13.5cm ↗	13.0cm ↗	
52.5cm ↑	27.0cm ↑	26.0cm ↑	

SCAN ME
EUROLAMP B2B
300-41208

5 207227 638930

SCAN ME
EUROLAMP B2B
300-41209

5 207227 638947

FAN HEATER

AEROTERMO

2 years warranty
años garantía



for video
SCAN ME

2000W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29125
300-41205
6202 026 50

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IP20			20m²



- Adjustable hermostat
- 2 Options for Hot Air
  1000W / 2000W
- ir circulation mode
- Power Indicating Light
- Over heat Protection
- Plastic
- Area of coverage 20m²
- 147-29125 White Color
- 300-41205 Black Color
- NW 1.0kg / GW 1.10kg

-
- 2
  1000W / 2000W
-
-
-
-
- 20m²
- 147-29125
- 300-41205
- NW 1.0kg / GW 1.10kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/8**
48.0cm 24.0cm 49.0cm	23.5cm 11.5cm 23.5cm	22.0cm 11.0cm 22.5cm	

SCAN ME
EUROLAMP B2B
147-29125
6202 026 50
5 206139 061447

SCAN ME
EUROLAMP B2B
300-41205
5 207227 105227

FAN HEATER

AEROTERMO

2 years warranty
años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

920-29125
6202 000 00

220-240V
~ 50Hz

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IP20			20m²



- Adjustable hermostat
- 2 Options for Hot Air
  1000W / 2000W
- ir circulation mode
- Power Indicating Light
- Over heat Protection
- Plastic
- Area of coverage 20m²
- NW 1.0kg / GW 1.10kg

-
- 2
  1000W / 2000W
-
-
-
-
- 20m²
- NW 1.0kg / GW 1.10kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/8**
48.0cm →	23.5cm →	22.0cm →	
24.0cm ↗	11.5cm ↗	11.0cm ↗	
49.0cm ↑	23.5cm ↑	22.5cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 257056

FAN HEATER

AEROTERMO

2 years warranty
años garantía

NEW



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41210
6202 000 00

220-240V
50Hz
<50dB

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IPX0			20m²



- Adjustable hermostat
- 2 Options for Hot Air
  1000W / 2000W
- ir circulation mode
- Over heat protection
- Area of coverage 20m²
- White Color
- NW 0.85kg / GW 1.0kg

-
- 2
  1000W / 2000W
-
-
- 20m2
-
- NW 0.85kg / GW 1.0kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/12
62.0cm 30.0cm 49.6cm	20.0cm 14.0cm 23.8cm	19.8cm 13.5cm 23.0cm	

SCAN ME
EUROLAMP B2B

5 207227 660658

DUAL-USE FAN HEATER

AEROTERMO DE DOBLE USO

2 years warranty
años garantía



dual use
vertical & horizontal placement

&



1500W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41206
6202 040 00

220-240V
~ 50Hz
<50dB

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IPX0			20m²



- Adjustable hermostat
- 2 Options for Hot Air
  1000W / 2000W
- ir circulation mode
- Over heat protection
- Area of coverage 20m²
- White Color
- NW 0.8kg / GW 0.9kg

-
- 2
  1000W / 2000W
-
-
- 20m2
-
- NW 0.8kg / GW 0.9kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/12
70.0cm 26.0cm 50.0cm	25.0cm 11.5cm 24.0cm	23.0cm 9.0cm 23.0cm	

SCAN ME
EUROLAMP B2B


5 207227 192814

GRAPHENE PTC FAN HEATER

AEROTERMO PTC DE GRAFENO

2 years warranty
años garantía

NEW





OSCILLATING
OSCILLANTE

λειτουργία **Wifi** function included


2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41357
6202 000 00

220-240V
50-60Hz
<50dB

12 RS	IPX0			25m²
12 HORAS TEMPORIZADOR 12 HOURS TIMER	GRADO DE PROTECCIÓN TYPE OF PROTECTION	WITH REMOTE CONTROL	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE



CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
65.0cm 34.0cm 50.0cm	63.5cm 16.3cm 24cm	23.0cm 23.0cm 61.0cm	1/4

SCAN ME
EUROLAMP B2B

5 207227 660641

Graphene Technology
Instant & even heating
in just 3 seconds.

- Led Display With Control Panel
- Adjustable hermostat
- Graphene heating element
- 3 Setting Options
- 1 ir circulation mode
- 2 Heating Modes 1400W / 2000W
- 12 Hours timer
- Tip - Over Safety Switch
- Over heat protection
- Area of coverage 25m²
- White Color
- NW 1.9kg / GW 2.3kg

Graphene Technology
Calor instantáneo y uniforme
en solo 3 segundos.

Ceramic Graphene

PTC FAN HEATER

INSTANT WARMTH
SMART COMFORT



RAPID HEATING / Calefacción

3

SMART CONTROL

Automatically maintains your ideal

EVEN HEAT / Calefacción

ENERGY EFFICIENT

Optimized performance with lower energy

ENHANCED SAFETY

Multiple protection systems

WiFi

Control your heater anytime, anywhere

λειτουργία
Wifi
function included

CERAMIC FAN HEATER

AEROTERMO CERÁMICO

2 years warranty
años garantía

NEW



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41109
6202 000 00

220-240V
~ 50Hz
<50dB

12 RS
12 HORAS TEMPORIZADOR
12 HOURS TIMER

IPX2
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

WITH REMOTE CONTROL

OPEN WINDOW FUNCTION

25m²
SUPERFICIE
AREA COVERAGE



- Wall mounted
- Led Display With Control Panel
- Adjustable hermostat
- Ceramic heating element
- 2 Setting Options
  1000W / 2000W
- ir circulation mode
- 12 Hours timer
- Open-Window Detection Function (10-35°C)
- Over heat protection
- Weekly Program Function
- Area of coverage 25m²
- White Color
- NW 1.9kg / GW 2.3kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
51.5cm	50.0cm	45.0cm	1/4
25.5cm	12.0cm	11.7cm	
40.6cm	19.3cm	18.7cm	

SCAN ME
EUROLAMP B2B

5 207227 660641



OSCILLATING CERAMIC FAN HEATER

AEROTERMO CERÁMICO OSCILANTE

2 years warranty
años garantía



1500W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41356
6202 067 00

220-240V
~ 50Hz
<50dB

9 HORAS TEMPORIZADOR 9 HOURS TIMER	GRADO DE PROTECCIÓN TYPE OF PROTECTION	WITH REMOTE CONTROL	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
9 RS	IPX0			20m²



• Led Display With Control Panel	• Led &
• Adjustable hermostat	•
• Ceramic heating element	•
• 3 Setting Options	• 3
• ir circulation mode	•
• 9 Hours timer	• 9
• Tip - Over Safety Switch	•
• Over heat protection	•
• Area of coverage 20m²	• 20m²
• Black Color	•
• NW 1.06kg / GW 1.35kg	• NW 1.06kg / GW 1.35kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/8
68.0cm 34.5cm 29.5cm	16.5cm 16.5cm 28.2cm	13.0cm 13.0cm 28.3cm	

SCAN ME
EUROLAMP B2B

5 207227 523854



OSCILLATING

SCAN ME
EUROLAMP B2B

OSCILLATING CERAMIC FAN HEATER

AEROTERMO CERÁMICO OSCILANTE

2 years warranty
años garantía



1500W

TECHNICAL SPECS
DATOS TÉCNICOS

890-50019
6202 000 00

220-240V
~ 50Hz
<50dB

8 HORAS TEMPORIZADOR	GRADO DE PROTECCIÓN		PROTECCIÓN	SUPERFICIE
8 HOURS TIMER	TYPE OF PROTECTION	WITH REMOTE CONTROL	OVER HEAT PROTECTION	AREA COVERAGE
8 RS	IPX0			25m²



- Led Display With Control Panel
- Adjustable hermostat
- Ceramic heating element
- 2 Setting Options
  900W / 1500W
- ir circulation mode
- 8 Hours timer
- Tip - Over
  Safety Switch
- Over heat protection
- Area of coverage 25m²
- Black Color
- NW 1.2g / GW 1.4kg

- Led &
-
-
- 2
  900W / 1500W
-
- 8
-
-
- 25m²
-
- NW 1.2g / GW 1.4kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/6
48.5cm	15.2cm	15.0cm	
16.5cm	15.2cm	15.0cm	
58.5cm	28.0cm	24.0cm	

lèyca
SCAN ME
EUROLAMP B2B

5 200251 351561



OSCILLATING

SCAN ME
EUROLAMP B2B

CERAMIC FAN HEATER

AEROTERMO CERÁMICO

2 years warranty
años garantía



1200W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41355
6202 044 60

220-240V
~ 50Hz
<50dB

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IP0			18m²



- Adjustable hermostat
- Ceramic heating element
- Tip-Over Safety Switch
- 2 Options for Hot Air
  600W / 1200W
- ir circulation mode
- Power Indicating Light
- Over heat Protection
- Plastic
- Area of coverage 18m²
- Mint Green Color
- NW 0.8kg / GW 0.9kg

-
-
-
- 2
  600W / 1200W
-
-
-
-
- 18m²
-
- NW 0.8kg / GW 0.9kg

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
41.0cm 38.0cm 42.5cm	18.5cm 13.0cm 20.5cm	17.5cm 12.0cm 17.0cm	1/12

SCAN ME
EUROLAMP B2B

5 207227 522833

CERAMIC FAN HEATER

AEROTERMO CERÁMICO

2 years warranty
años garantía



1500W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41351
890-50017
890-50018

220-240V ~ 50/60Hz

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IPX0			25m²

6202 040 00
6202 000 00
6202 000 00



- Adjustable hermostat
- Ceramic heating element
- 2 Options for Hot Air 750W / 1500W
- ir circulation mode
- Power Indicating Light
- Over heat Protection
- Tip - Over Safety Switch
- Over heat protection
- Area of coverage 25m²
- 300-41351 Graphite Color
- 890-50017 Graphite Color
- 890-50018 Red Color
- NW 1.0kg / GW 1.1kg

COLOR BOX

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/6
42.0cm	22.9cm	21.0cm	
24.0cm	13.6cm	11.0cm	
44.0cm	20.9cm	17.5cm	

SCAN ME EUROLAMP B2B 300-41351
5 207227 192838

SCAN ME EUROLAMP B2B 890-50017
5 200251 351547

SCAN ME EUROLAMP B2B 890-50018
5 200251 351554

CERAMIC FAN HEATER

AEROTERMO CERÁMICO

2 years warranty
años garantía



1500W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41354
6202 060 40

220-240V
~ 50Hz
<50dB

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	GRADO DE PROTECCIÓN TYPE OF PROTECTION	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	SUPERFICIE AREA COVERAGE
	IP0			20m²



- Adjustable hermostat
- Ceramic heating element
- Tip-Over Safety Switch
- 2 Options for Hot Air
  750W / 1500W
- ir circulation mode
- Power Indicating Light
- Over heat Protection
- Handle
- ABS
- Area of coverage 20m²
- White Color with rose gold details
- NW 1.0kg / GW 1.10kg

-
-
-
- 2
  750W / 1500W
-
-
-
-
- ABS
- 20m²
- -
- NW 1.0kg / GW 1.10kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/6
42.3cm →	22.9m →	21.0cm →	
23.9cm ↗	13.6cm ↗	11.0cm ↗	
43.5cm ↑	20.9cm ↑	17.5cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 522826



WHY THEY STAND OUT

- Provide instant heating and cooling for year-round use.
- Compact design for easy transport and placement in different spaces.
- Multiple functions ensuring comfort in both summer and winter.

COOLING HEATING

Refrigeración - Calefacción

STAND FAN & HEATER WITH TIMER & REMOTE CONTROL

VENTILADOR Y CALEFACTOR DE PIE CON TEMPORIZADOR Y MANDO A DISTANCIA

2 years warranty
2 años garantía



Heater

Fan

35W
2000W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50Hz
54dB

300-20018
6202 000 00

40 cm	7 RS		IP20	20m²
DIAMETER	7 HORAS TEMPORIZADOR 7 HOURS TIMER	WITH REMOTE CONTROL	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE



CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
43.5cm 33.0cm 43.5cm	43.5cm 33.0cm 43.5cm	40cm 98-116 cm	

SCAN ME
EUROLAMP B2B

5 207227 282041

- **35W** Cooling
  4 Fan Speeds
- **2000W** Heating
  2 Heating Levels
- 40cm Diameter
- Round base
- Line grid
- PP body
- 3 Metallic blades
- 7h Timer
- Remote control
- 20º Tilt
- 70º Rotation
- LED Light
- 1250 RPM
- Area of coverage 20m²
- Black Color
- GW 5.8kg / NW 4.8kg

- 35W Cooling
  4 Fan Speeds
- 2000W CALEFACCIÓN
  2 CALEFACCIÓN Levels
- 40cm Diameter
- Base redonda
- Rejilla lineal
- PP body
- 3 Metallic blades
- 7h TEMPORIZADOR
- MANDO A DISTANCIA
- 200 Tilt
- 700 Rotation
- Luz LED
- 1250 RPM
- SUPERFICIE DE COBERTURA 20m²
- Color negro
- Peso bruto 5.8kg / Peso neto 4.8kg



STAND FAN & HEATER WITH TIMER & REMOTE CONTROL

VENTILADOR Y CALEFACTOR DE PIE CON TEMPORIZADOR Y MANDO A DISTANCIA

2 years warranty
años garantía



Heater

Fan

50W
2200W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50Hz
54dB

300-20019
6202 000 00

20 cm	12 RS		IPX0	10-15m²
DIAMETER	12 HORAS TEMPORIZADOR 12 HOURS TIMER	WITH REMOTE CONTROL	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE



CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
56.0cm 35.0cm 24.0cm	56.0cm 35.0cm 24.0cm	20cm 88-108 cm	

SCAN ME
EUROLAMP B2B

5 207227 282058

- **50W** Cooling
  2 Fan Speeds
- **2200W** Heating
  2 Heating Levels
- 20cm Diameter
- Round base
- Line grid
- PP+ABS body
- 4 PC blades
- 12h Timer
- Remote control
- 15º Tilt
- 60º Rotation
- LED Light
- 2000 RPM
- Area Coverage 10-15m²
- Cream Color
- GW 4.95kg / NW 4.2kg

- 50W Cooling
  2 Fan Speeds
- 2200W CALEFACCIÓN
  2 CALEFACCIÓN Levels
- 20cm Diameter
- Base redonda
- Rejilla lineal
- PP+ABS body
- 4 PC blades
- 12h TEMPORIZADOR
- MANDO A DISTANCIA
- 150 Tilt
- 600 Rotation
- Luz LED
- 2000 RPM
- SUPERFICIE DE COBERTURA 10-15m²
- Color crema
- Peso bruto 4.95kg / Peso neto 4.2kg







WHY THEY STAND OUT

- Direct and targeted heat output using quartz technology for fast performance.
- Ideal for spot heating with minimal warm-up time.
- Safe operation for daily use.
- Energy-efficient operation for everyday winter use.
- Compact and practical design with easy installation and operation.
- With adjustable thermostat for precise temperature control.

QUARTZ HEATERS ELECTRIC FIREPLACE

Estufas de cuarzo

Chimenea eléctrica

QUARTZ HEATER

ESTUFA DE CUARZO

2 years warranty
años garantía



for video
SCAN ME

1600W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29165
920-29165
6202 041 45


220-240V
~ 50/60Hz

LONG & EQUABLE HEATING

TIP - OVER SAFETY SWITCH

IP20
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

25m²
SUPERFICIE
AREA COVERAGE



- Quartz heating element
- Reflectors with wide heat angle
- 2 Setting Options 800W / 1600W
- Tip - Over Safety Switch
- Handle for easy carrying
- Area of coverage 25m²
- White Color
- NW 1.58kg / GW 1.9kg

• ELEMENTO CALEFACTOR DE CUARZO
• Reflectores con amplio ángulo de difusión del calor
• 2 niveles de funcionamiento 800W/1600W
• Tip - Over Interruptor de seguridad
• Asa para facilitar el transporte
• SUPERFICIE DE COBERTURA 25m²
• Color blanco
• Peso neto 1.58kg / Peso bruto 1.9kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/6**
76.0cm	37.0cm	46.0cm	
48.0cm	19.0cm	18.5cm	
40.0cm	38.0cm	37.0cm	

SCAN ME
EUROLAMP B2B
147-29165
6202 041 45
5 207227 055409

LEVEL UP

SCAN ME
EUROLAMP B2B
920-29165
5 207227 261459

QUARTZ HEATER

ESTUFA DE CUARZO

2 years warranty
años garantía



1600W

TECHNICAL SPECS
DATOS TÉCNICOS

300-29165
920-29167
6202 000 00
6202 000 00


220-240V
~ 50/60Hz

LONG & EQUABLE HEATING

TIP - OVER SAFETY SWITCH

IP20
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

25m²
SUPERFICIE
AREA COVERAGE



- Quartz heating element
- Reflectors with wide heat angle
- 2 Setting Options 800W / 1600W
- Tip - Over Safety Switch
- Handle for easy carrying
- Area of coverage 25m²
- White Color
- NW 1.5kg / GW 1.8kg

• ELEMENTO CALEFACTOR DE CUARZO
• Reflectores con amplio ángulo de difusión del calor
• 2 niveles de funcionamiento 800W/1600W
• Tip - Over Interruptor de seguridad
• Asa para facilitar el transporte
• SUPERFICIE DE COBERTURA 25m²
• Color blanco
• Peso neto 1.5kg / Peso bruto 1.8kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/4**
49.0cm →	47.0cm →	45.0cm →	
37.5cm ↗	17.0cm ↗	15.5cm ↗	
47.5cm ↑	38.0cm ↑	36.0cm ↑	

SCAN ME
EUROLAMP B2B
300-29165
5 207227 643897

LEVEL UP

SCAN ME
EUROLAMP B2B
920-29167
5 207227 643910

QUARTZ HEATER

ESTUFA DE CUARZO

2 years warranty
años garantía



for video
SCAN ME

1200W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29163
920-29163
6202 031 05
6202 000 00

220-240V
~ 50/60Hz

PILOTO			IP20	19m²
POWER INDICATING LIGHT	LONG & EQUABLE HEATING	TIP - OVER SAFETY SWITCH	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE



- Quartz heating element
- Reflectors with wide heat angle
- 3 Setting Options 400W / 800W / 1200W
- Indicating operation light
- Tip - Over Safety Switch
- Handle for easy carrying
- Area of coverage 19m²
- Black Color
- NW 0.9kg / GW 0.95kg

• ELEMENTO CALEFACTOR DE CUARZO
• Reflectores con amplio ángulo de difusión del calor
• 3 niveles de funcionamiento 400W / 800W / 1200W
• PILOTO DE FUNCIONAMIENTO
• Tip - Over Interruptor de seguridad
• Asa para facilitar el transporte
• SUPERFICIE DE COBERTURA 19m²
• Color negro
• Peso neto 0.9kg / Peso bruto 0.95kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/16**
73.0cm	49.5cm	49.5cm	
52.0cm	13.0cm	12.2cm	
50.0cm	25.0cm	24.5cm	

SCAN ME
EUROLAMP B2B
147-29163

5 207227 003189

SCAN ME
EUROLAMP B2B
920-29163

5 207227 029202

QUARTZ HEATER

ESTUFA DE CUARZO

2 years warranty
años garantía

NEW





OSCILLATING
OSCILANTE

1200W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41409
6202 000 00

220-240V
~ 50/60Hz
50dB

REGULABLE TERMOSTATO			GRADO DE PROTECCIÓN	SUPERFICIE
ADJUSTABLE THERMOSTAT	LONG & EQUABLE HEATING	TIP - OVER SAFETY SWITCH	TYPE OF PROTECTION	AREA COVERAGE
			IP20	15m²



CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
31.0cm →	31.0cm →	30.0cm →	1/1
16.0cm ↗	16.0cm ↗	30.0cm ↗	
71.0cm ↑	71.0cm ↑	70.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 638954

- Quartz heating element
- Reflectors with wide heat angle
- 3 Setting Options 400W / 800W / 1200W
- Indicating operation light
- Tip - Over Safety Switch
- Wide angle oscillation
- Handle for easy carrying
- Area of coverage 15m²
- Black Color
- NW 1.8kg / GW 2.4kg

• ELEMENTO CALEFACTOR DE CUARZO
• Reflectores con amplio ángulo de difusión del calor
• 3 niveles de funcionamiento 400W / 800W / 1200W
• PILOTO DE FUNCIONAMIENTO
• Tip - Over Interruptor de seguridad
• Oscilación de gran amplitud
• Asa para facilitar el transporte
• SUPERFICIE DE COBERTURA 15m²
• Color negro
• Peso neto 1.8kg / Peso bruto 2.4kg

ERP QUARTZ HEATER WITH REMOTE CONTROL

ESTUFA DE CUARZO ERP CON MANDO A DISTANCIA

3 years warranty
años garantía



for video
SCAN ME

ENERGY SAVING
LOW POWER CONSUMPTION
HEAT LOSING OPEN WINDOW SENSOR
Automatic shut-off when the temperature drops by 10°C.

INSTANTÁNEO

10°C,

.

2400W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

24 RS DAYS
24 HORAS & 7 TEMPORIZADOR
12 HOURS & 7 DAYS TIMER

WITH REMOTE CONTROL

.
OPEN WINDOW FUNCTION

IP20
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

30m²
SUPERFICIE
AREA COVERAGE

147-29700
147-29701
300-80006

6202 132 70
6202 095 45
6202 000 00



- Led digital screen
- Adjustable hermostat
- Quartz heating element
- 2 Setting Options 1200W / 2400W
- Lock function
- Child lock function
- Automatic temperature balance: 10ºC-49ºC
- Indicating operation light
- Tip - Over Safety Switch
- Handles & wheels for easy carrying
- Over heat Protection
- Area of coverage 30m²
- 147-29700 White Color
- 147-29701 Black Color
- 300-41205 Black Color
- NW 3.4kg / GW 3.7kg

CARTON BOX

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	1/1
56.0cm	56.0cm	55.2cm	
19.0cm	19.0cm	18.5cm	
43.5cm	43.5cm	43.5cm	

SCAN ME
EUROLAMP B2B
147-29700
5 207227 022333

SCAN ME
EUROLAMP B2B
147-29701
5 207227 022340

SCAN ME
EUROLAMP B2B
300-80006
5 207227 106842

3-IN-1 QUARTZ HEATER WITH FAN, HUMIDIFIER & THERMOSTAT

3 years warranty
años garantía

ESTUFA DE CUARZO 3 EN 1 CON VENTILADOR, HUMIDIFICADOR Y TERMOSTATO



for video
SCAN ME

2400W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41408
300-41407
6202 120 55
6202 092 85

220-240V
~ 50/60Hz

0.16L			IP20	25m²
CONTAINER CAPACITY	HEATING	TIP - OVER SAFETY SWITCH	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE



- Long & Equable Heating with fan and humidifier
- Quartz heating element
- With thermostat
- 3 Setting Options
  600W - Top Side
  1800W - Front Side
  2400W - Front & Top Side
- Indicating operation light
- Handles & wheels for easy carrying
- NW 3.3kg / GW 3.8kg

- CALOR UNIFORME Y DURADERO CON fan and humidifier
- ELEMENTO CALEFACTOR DE CUARZO
- Con termostato
- 3 niveles de funcionamiento
  600W - Top Side
  1800W - Front Side
  2400W - Front & Top Side
- PILOTO DE FUNCIONAMIENTO
- Asas y ruedas para facilitar el transporte
- Peso neto 3.3kg / Peso bruto 3.8kg

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
56.0cm →	56.0cm →	53.5cm →	1/1
19.0cm ↗	19.0cm ↗	18.0cm ↗	
43.5cm ↑	43.5cm ↑	48.5cm ↑	

SCAN ME
EUROLAMP B2B
300-41408
5 207227 383236

SCAN ME
EUROLAMP B2B
300-41407
5 207227 387630

QUARTZ HEATER

ESTUFA DE CUARZO

2 years warranty
años garantía



2800W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41410
6202 000 00

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO			GRADO DE PROTECCIÓN	SUPERFICIE
ADJUSTABLE THERMOSTAT	LONG & EQUABLE HEATING	TIP - OVER SAFETY SWITCH	TYPE OF PROTECTION	AREA COVERAGE
			IP20	30m²



CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
56.0cm ↔	56.0cm ↔	53cm ↔	
19.0cm ↗	19.0cm ↗	18.0cm ↗	
43.5cm ↑	43.5cm ↑	47.5cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 660672

- Long & Equable Heating with fan
- Quartz heating element
- With thermostat
- 4 Setting Options
  700W - Top Side
  (1 quartz tube)
  700W - Front Side
  (1 quartz tube)
  1400W - Front Side
  (2 quartz tubes)
  2800W - Front & Top Side
  (4 quartz tubes)
- Indicating operation light
- Handles & wheels for easy carrying
- NW 3.3kg / GW 3.65kg

• CALOR UNIFORME Y DURADERO CON fan
• ELEMENTO CALEFACTOR DE CUARZO
• Con termostato
• 4 niveles de funcionamiento
700W - Top Side
(1 quartz tube)
700W - Front Side
(1 quartz tube)
1400W - Front Side
(2 TUBOS DE CUARZO)
2800W - Front & Top Side
(4 TUBOS DE CUARZO)
• PILOTO DE FUNCIONAMIENTO
• Asas y ruedas para facilitar el transporte
• Peso neto 3.3kg / Peso bruto 3.65kg


EUROLAMP
DESIGN

3-FACE QUARTZ HEATER WITH THERMOSTAT

ESTUFA DE CUARZO DE 3 CARAS CON TERMOSTATO

3 years warranty
años garantía





3face
heat emission
3


2800W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29156
6202 085 15

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO	3 INSTANTÁNEO		IP20	30m²
ADJUSTABLE THERMOSTAT	3 FACE HEAT EMISSION	TIP - OVER SAFETY SWITCH	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE



- Adjustable hermostat
- Quartz heating element
- 5 Setting Options
  400W - Top Side
  1200W - Front Side
  1600W - Front & Top Side
  2400W - Front & Back Side
  2800W - Front, Back & Top Side
- Tip - Over
  Safety Switch
- Handles for easy carrying
- Area of coverage 30m²
- Black Color
- NW 2.5kg / GW 4.0kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
44.0cm →	44.0cm →	44.0cm →	1/1
17.7cm ↗	17.7cm ↗	16.0cm ↗	
44.5cm ↑	44.5cm ↑	44.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 003738

QUARTZ HEATER WITH THERMOSTAT

ESTUFA DE CUARZO CON TERMOSTATO

3 years warranty
años garantía



for video
SCAN ME

2800W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41402
6202 090 30

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO			IP20	30m²
ADJUSTABLE THERMOSTAT	LONG & EQUABLE HEATING	TIP - OVER SAFETY SWITCH	TYPE OF PROTECTION	AREA COVERAGE
			GRADO DE PROTECCIÓN	SUPERFICIE



• Adjustable hermostat	•
• Quartz heating element	•
• 3 Setting Options 700W - Front Side 1 Rod 1400W - Front Side 2 Rods 2800W - Front Side 4 Rods	• 3 700W - 1 1400W - 2 2800W - 4
• Tip - Over Safety Switch	•
• Handles for easy carrying	•
• Area of coverage 30m²	• 30m²
• Black Color	•
• NW 2.9kg / GW 3.6kg	• NW 2.9kg / GW 3.6kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	1/1
55.0cm →	55.0cm →	48.5cm →	
14.0cm ↗	14.0cm ↗	19.5cm ↗	
55.0cm ↑	55.0cm ↑	52.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 106866

SLIM DESIGN

with compact size that takes up less of your space.

.

QUARTZ HEATER WITH THERMOSTAT

ESTUFA DE CUARZO CON TERMOSTATO

3 years warranty
años garantía



2800W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41403
6202 129 10

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO			IP20	30m²
ADJUSTABLE THERMOSTAT	LONG & EQUABLE HEATING	TIP - OVER SAFETY SWITCH	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE



- 2 Face Heating Tubes
- Adjustable hermostat
- Quartz heating element
- 4 Setting Options
  400W - Top Side 1 Rod
  1600W - Front Side 2 Rods
  2400W - Front Side 3 Rods
  2800W - Front & Top Side 4 Rods
- Tip - Over Safety Switch
- Handles & wheels for easy carrying
- Area of coverage 30m²
- Black Color
- NW 6.5kg / GW 7.0kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
78.5cm →	78.5cm →	77.0cm →	1/1
21.0cm ↗	21.0cm ↗	24.8cm ↗	
56.5cm ↑	56.5cm ↑	58.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 106880

Extra Wide Appliance

SCAN ME
EUROLAMP B2B

QUARTZ HEATER WITH THERMOSTAT

ESTUFA DE CUARZO CON TERMOSTATO

3 years warranty
años garantía



flameeffect


2400W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41406
6202 129 10

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO			IP20	25m²
ADJUSTABLE THERMOSTAT	LONG & EQUABLE HEATING	TIP - OVER SAFETY SWITCH	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE



- Quartz heating element
- 4 Setting Options
- Tip - Over Safety Switch
- Handle for easy carrying
- Area of coverage 25m²
- Plastic & metal
- Black Color
- Cord length 1.5m
- NW 3.73kg / GW 4.23kg

• ELEMENTO CALEFACTOR DE CUARZO
• 4 niveles de funcionamiento
• Tip - Over Interruptor de seguridad
• Asa para facilitar el transporte
• SUPERFICIE DE COBERTURA 25m²
• Plástico y metal
• Color negro
• Longitud del cable 1.5m
• Peso neto 3.73kg / Peso bruto 4.23kg

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING 1/1
66.5cm →	66.5cm →	62.3cm →	
14.5cm ↗	14.5cm ↗	9.5cm ↗	
62.5cm ↑	62.5cm ↑	58.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 387623

ELECTRIC FIREPLACE

CHIMENEA ELÉCTRICA

2 years warranty
años garantía



flameeffect



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41750
6202 366 60

220-240V
~ 50/60Hz

LED	WITH REMOTE CONTROL	CURVED SURFACE	IP20	25m²
LED SCREEN			GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE



- With remote control
- 2 Setting Options 1000W / 2000W
- LED lights
- Adjustable flame brightness
- Flame effect 6.5W
- Curved black tempered glass
- Control panel
- Ambient temperature display
- Timer
- Wall mounted
- Area of coverage 25m²
- Metal, plastic & glass
- Black Color
- NW 10.4kg / GW 11.1kg

- Con mando a distancia
- 2 niveles de funcionamiento 1000W / 2000W
- Luces LED
- Brillo de llama regulable
- Efecto llama 6.5W
- Cristal templado negro curvado
- Panel de control
- Indicación de temperatura ambiente
- TEMPORIZADOR
- Instalación mural
- SUPERFICIE DE COBERTURA 25m²
- Metal, Plástico & glass
- Color negro
- Peso neto 10.4kg / Peso bruto 11.1kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
76.5cm →	76.5cm →	71.8cm →	
17.3cm ↗	17.3cm ↗	12.5cm ↗	
44.8cm ↑	44.8cm ↑	40cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 387593



WHY THEY STAND OUT

- Even and efficient room heating through natural air convection and long-lasting warmth retention
- Ideal for everyday use in bedrooms living rooms, and offices.
- Fast heat output with a stable and comfortable warmth feeling.
- Adjustable thermostat for precise temperature control.
- Silent operation for maximum comfort in bedrooms and living spaces.
- Adjustable thermostat and multiple power levels for energy efficiency.
- Easy to move thanks to caster wheels and ergonomic design.

HEATING PANELS CONVECTORS OIL HEATERS

Calefactores paneles

Convectors

Radiadores de aceite

HEATING PANEL WITH THERMOSTAT

PANEL CALEFACTOR CON TERMOSTATO

2 years warranty
años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29400
6202 117 05

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO	PROTECCIÓN		GRADO DE PROTECCIÓN	SUPERFICIE
ADJUSTABLE THERMOSTAT	OVER HEAT PROTECTION	TIP - OVER SAFETY SWITCH	TYPE OF PROTECTION	AREA COVERAGE
• Adjustable hermostat	•	•	•	•
• 2 Setting Options 1000W / 2000W	• 2 1000W / 2000W	•	•	• 25m²
• Tip - Over Safety Switch	•	•	•	•
• Overheat Protection System	•	•	•	• NW 4.6kg / GW 5.4kg
• Indicating operation light	•	•	• &	
• Handles & wheels for easy carrying				
• Area coverage 25m²				
• White Color				
• NW 4.6kg / GW 5.4kg				



CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
76.0cm	76.0cm	73.0cm	
11.0cm	11.0cm	26.0cm	
48.5cm	48.5cm	49.0cm	

SCAN ME
EUROLAMP B2B

5 207227 003202

for video
SCAN ME

GLASS HEATING PANEL WITH THERMOSTAT

PANEL CALEFACTOR DE CRISTAL CON TERMOSTATO

2 years warranty
años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41601
6202 197 25

220-240V
~ 50/60Hz

24 RS DAYS			IPX4	30m²
24 HORAS & 7 TEMPORIZADOR 12 HOURS & 7 DAYS TIMER	PROTECCIÓN OVER HEAT PROTECTION	. OPEN WINDOW FUNCTION	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE



- Led digital screen
- Adjustable hermostat
- Aluminum heating element
- Day & Night Function
- Open Window Function
- 24 Hours & 7 days timer
- Overheat Protection System
- Indicating operation light
- Area of coverage 30m²
- Black Color
- NW 9.0kg / GW 10.2kg

- Led
-
-
- &
-
- 24 &
-
-
- 30m²
-
- NW 9.0kg / GW 10.2kg

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
90.0cm 13.0cm 44.0cm	90.0cm 13.0cm 44.0cm	87.0cm 12.0cm 40.0cm	1/1

SCAN ME
EUROLAMP B2B

5 207227 104480

for video
SCAN ME

HEATER CONVECTOR WITH THERMOSTAT

CONVECTOR CON TERMOSTATO

2 years warranty
años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29113
6202 046 55

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE
•	•	•	IP20	15-20m²



- Adjustable hermostat
- 3 Setting Options
  750W / 1250W / 2000W
- Overheat Protection System
- Indicating operation light
- Handles for easy carrying
- Area of coverage 15-20m²
- White Color
- NW 2.0kg / GW 2.5kg

-
- 3
  750W / 1250W / 2000W
-
-
-
- 15-20m²
-
- NW 2.0kg / GW 2.5kg

CARTON BOX *DIMENSIONS*	COLOR BOX *DIMENSIONS*	PRODUCT *DIMENSIONS*	PACKING
57.0cm 14.0cm 40.0cm	57.0cm 14.0cm 40.0cm	53.0cm 19.5cm 38.3cm	1/1

SCAN ME
EUROLAMP B2B

5 206139 027115

TURBO HEATER CONVECTOR WITH THERMOSTAT

CONVECTOR TURBO CON TERMOSTATO

2 years warranty
años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-41605
6202 059 25

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	PILOTO POWER INDICATING LIGHT	PROTECCIÓN OVER HEAT PROTECTION	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE
			IP20	20m²



- Adjustable hermostat
- With Turbo function
- 3 Setting Options
  750W / 1250W / 2000W
- Overheat Protection System
- Indicating operation light
- Handles for easy carrying
- Area of coverage 20m²
- PP & Metal
- Black Color
- NW 2.4kg / GW 2.9kg

-
- Turbo
- 3
  750W / 1250W / 2000W
-
-
-
- 20m²
- PP &
-
- NW 2.4kg / GW 2.9kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
58.5cm 13.5cm 39.5cm	58.5cm 13.5cm 39.5cm	53.0cm 19.5cm 38.3cm	

SCAN ME
EUROLAMP B2B

5 207227 387647

ELECTRIC OIL RADIATOR

RADIADOR ELÉCTRICO DE ACEITE

2 years warranty
años garantía



x11

HEATING RIBS


2500W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-41702
6202 167 90

WITH REMOTE CONTROL	PROTECCIÓN OVER HEAT PROTECTION	TIP - OVER SAFETY SWITCH	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE
			IP20	25m²



- 11 Heating ribs
- **Adjustable hermostat**
- 3 Setting Options
  1000W / 1500W / 2500W
- Tip - Over
  Safety Switch
- Overheat Protection System
- Indicating operation light
- With remote control
- Handles & wheels
  for easy carrying
- Storage For Cable Housing
- Area of coverage 25m²
- Steel
- Black Color
- NW 8.7kg / GW 9.6kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
53.0cm →	53.0cm →	48.0cm →	1/1
13.5cm ↗	13.5cm ↗	24.0cm ↗	
59.0cm ↑	59.0cm ↑	59.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 387319

ELECTRIC OIL RADIATOR

RADIADOR ELÉCTRICO DE ACEITE

2 years warranty
años garantía



x11

HEATING RIBS

2500W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

147-29461
6202 182 25

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	TIP - OVER SAFETY SWITCH	PROTECCIÓN OVER HEAT PROTECTION	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE
			IP20	25m²



- 11 Heating ribs
- Adjustable hermostat
- 3 Setting Options
  1000W / 1500W / 2500W
- Tip - Over
  Safety Switch
- Overheat Protection System
- Indicating operation light
- Handles & wheels
  for easy carrying
- Storage For Cable Housing
- Area of coverage 25m²
- White Color
- NW 7.9kg / GW 8.7kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
53.0cm 13.5cm 58.0cm	53.0cm 13.5cm 58.0cm	48.0cm 24.0cm 54.0cm	1/1

SCAN ME
EUROLAMP B2B

5 207227 028984

ELECTRIC OIL RADIATOR

RADIADOR ELÉCTRICO DE ACEITE

2 years warranty
años garantía



x9

HEATING RIBS

NEW

2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-41703
6202 000 00

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	TIP - OVER SAFETY SWITCH	PROTECCIÓN OVER HEAT PROTECTION	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE
			IPX0	20m²



- 9 Heating ribs
- Adjustable hermostat
- 3 Setting Options
  800W / 1200W / 2000W
- Tip - Over
  Safety Switch
- Overheat Protection System
- Indicating operation light
- Handles & wheels
  for easy carrying
- Storage For Cable Housing
- Area of coverage 20m²
- White & Black Color
- NW 5.9kg / GW 6.6kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
43.5cm 13.5cm 58.0cm	43.5cm 13.5cm 58.0cm	38.0cm 24.0cm 54.0cm	1/1

SCAN ME
EUROLAMP B2B

5 207227 638206

ELECTRIC OIL RADIATOR

RADIADOR ELÉCTRICO DE ACEITE

2 years warranty
años garantía



x11

HEATING RIBS

NEW

2500W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO / ADJUSTABLE THERMOSTAT	TIP - OVER SAFETY SWITCH	PROTECCIÓN / OVER HEAT PROTECTION	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE
			IPX0	25m²

300-41704
6202 000 00



- 11 Heating ribs
- Adjustable hermostat
- 3 Setting Options 1000W / 1500W / 2500W
- Tip - Over Safety Switch
- Overheat Protection System
- Indicating operation light
- Handles & wheels for easy carrying
- Storage For Cable Housing
- Area of coverage 25m²
- White & Black Color
- NW 7.2kg / GW 8.0kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
50.5cm 13.5cm 58.0cm	50.5cm 13.5cm 58.0cm	45.0cm 24.0cm 54.0cm	1/1

SCAN ME
EUROLAMP B2B

5 207227 638213

ELECTRIC OIL RADIATOR

RADIADOR ELÉCTRICO DE ACEITE

2 years warranty
años garantía



x5

HEATING RIBS

NEW

500W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-41705
6202 000 00

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	TIP - OVER SAFETY SWITCH	PROTECCIÓN OVER HEAT PROTECTION	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE
			IPX0	5m²



- 5 Heating ribs
- Adjustable Temperature
- Tip - Over Safety Switch
- Overheat Protection System
- Indicating operation light
- Handles for easy carrying
- Area of coverage 5m²
- White Color
- NW 2.5kg / GW 3.0kg

- 5 elementos calefactores
- Temperatura regulable
- Tip - Over Interruptor de seguridad
- Sistema de protección contra sobrecalentamiento
- PILOTO DE FUNCIONAMIENTO
- Asas para facilitar el transporte
- SUPERFICIE DE COBERTURA 5m²
- Color blanco
- Peso neto 2.5kg / Peso bruto 3.0kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
28.0cm 13.0cm 42.0cm	28.0cm 13.0cm 42.0cm	38.5cm 13.5cm 24.5cm	

SCAN ME
EUROLAMP B2B

5 207227 660689

ELECTRIC OIL RADIATOR

RADIADOR ELÉCTRICO DE ACEITE

2 years warranty
años garantía



x7

HEATING RIBS

NEW

800W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-41706
6202 000 00

REGULABLE TERMOSTATO / ADJUSTABLE THERMOSTAT	TIP - OVER SAFETY SWITCH	PROTECCIÓN / OVER HEAT PROTECTION	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE
			IPX0	10m²



- 7 Heating ribs
- Adjustable Temperature
- Tip - Over Safety Switch
- Overheat Protection System
- Indicating operation light
- Handles for easy carrying
- Area of coverage 10m²
- White Color
- NW 3.5kg / GW 4.0kg

- 7 elementos calefactores
- Temperatura regulable
- Tip - Over Interruptor de seguridad
- Sistema de protección contra sobrecalentamiento
- PILOTO DE FUNCIONAMIENTO
- Asas para facilitar el transporte
- SUPERFICIE DE COBERTURA 10m²
- Color blanco
- Peso neto 3.5kg / Peso bruto 4.0kg

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
35.0cm →	35.0cm →	38.5cm →	1/1
13.5cm ↗	13.0cm ↗	13.5cm ↗	
42.0cm ↑	42.0cm ↑	31.5cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 660696

MICA HEATER WITH THERMOSTAT

RADIADOR DE MICA CON TERMOSTATO

2 years warranty
años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

REGULABLE TERMOSTATO		PROTECCIÓN	GRADO DE PROTECCIÓN	SUPERFICIE
ADJUSTABLE THERMOSTAT	TIP - OVER SAFETY SWITCH	OVER HEAT PROTECTION	TYPE OF PROTECTION	AREA COVERAGE
			IP20	20m²

300-41611
6202 167 35



- Adjustable hermostat
- 2 Setting Options
  1000W / 2000W
- Tip - Over
  Safety Switch
- Overheat Protection System
- Indicating operation light
- Handles & wheels
  for easy carrying
- Area of coverage 20m²
- Metallic
- Black Color
- NW 3.8kg / GW 4.7kg

-
- 2
  1000W / 2000W
-
-
-
- &
- 20m²
-
-
- NW 3.8kg / GW 4.7kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
58.5cm 12.7cm 64.0cm	58.5cm 12.7cm 64.0cm	55.0cm 26.5cm 61.5cm	

SCAN ME
EUROLAMP B2B

5 207227 387586



- .
- .
- .
- .
- , ,
  .

WHY THEY STAND OUT

- Ideal for indoor with high heating performance.
- LPG operation provides instant and efficient heat output.
- Durable metal construction for stability and long-lasting use.
- Easy mobility and practical operation for maximum flexibility.
- Ideal for professional use, warehouses workshops, and outdoor areas.

GAS & KEROSENE INDOOR HEATERS

Calefactores
&
de interior

GAS HEATER

ESTUFA DE GAS

2 years warranty
años garantía



de
GAS
& Regulator
Included
Gas Hose
& Regulator

for video
SCAN ME

4200W
14300BTU-h

TECHNICAL SPECS
DATOS
TÉCNICOS

147-29676
6202 256 85

15kg		. DE PROTECCIÓN .		20-80m²
	REGULABLE TERMOSTATO			SUPERFICIE
15kg GAS TANK	ADJUSTABLE THERMOSTAT	OXYGEN DEPLETION PROTECTION SYSTEM	TIP - OVER SAFETY SWITCH	AREA COVERAGE



- Piezoelectric ignition
- Adjustable hermostat
- 3 Ceramic heating plates
- Setting Options from 1500W up to 4200W
- Gas Consumption max.:305g/h - min.:110g/h
- Gas Pressure: Butane 30mbar / Propane 37mbar
- 15kg Gas tank
- Gas tank Housing : 380mm, H:650mm
- Gas Hose L:40cm, 8cm
- Flame failure protection system
- Oxygen Depletion System
- Tip - Over Safety Switch
- Handles & wheels for easy carrying
- Area of coverage 20-80m²
- Black Color
- NW 8.1kg / GW 9.5kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
46.5cm 40.5cm 75.0cm	46.5cm 40.5cm 75.0cm	42.0cm 39.0cm 72.0cm	1/1

SCAN ME
EUROLAMP B2B

5 207227 055317

GAS HEATER

ESTUFA DE GAS

2 years warranty
años garantía





147-29674

&
Gas Hose
& Regulator

4200W
14300BTU-h

TECHNICAL SPECS
DATOS TÉCNICOS

300-80011
6202 000 00

15kg		. DE PROTECCIÓN .		20-80m²
	REGULABLE TERMOSTATO			SUPERFICIE
15kg GAS TANK	ADJUSTABLE THERMOSTAT	OXYGEN DEPLETION PROTECTION SYSTEM	TIP - OVER SAFETY SWITCH	AREA COVERAGE



- Piezoelectric ignition
- Adjustable hermostat
- 3 Ceramic heating plates
- Setting Options from 1500W up to 4200W
- Gas Consumption max.:305g/h - min.:110g/h
- Gas Pressure: Butane 30mbar / Propane 37mbar
- 15kg Gas tank
- Gas tank Housing : 380mm, H:650mm
- Gas Hose L:40cm, 8cm
- Flame failure protection system
- Oxygen Depletion System
- Tip - Over Safety Switch
- Handles & wheels for easy carrying
- Area of coverage 20-80m²
- Black Color
- NW 7.8kg / GW 9.15kg

CARTON BOX

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
45.5cm	45.5cm	42.0cm	
38.5cm	38.5cm	36.0cm	
75.5cm	75.5cm	72.0cm	

SCAN ME
EUROLAMP B2B

5 207227 192197

KEROSENE HEATER

ESTUFA DE QUEROSENO

2 years warranty
años garantía



for video
SCAN ME

4.6L
9000BTU-h

TECHNICAL SPECS
DATOS TÉCNICOS

300-42401
6202 155 80

FUEL VALVE CONTROLLER	TANK CAPACITY	TYPE OF PROTECTION / GRADO DE PROTECCIÓN	AREA COVERAGE / SUPERFICIE
	4.6L	IPX4	20m²



- Tank capacity 4.6L
- 9000 BTU/h
- High brightness incombustible glass fibre wick
- Fuel: White lighting kerosene
- Fuel consumption 0,2-0,25lt/h
- Calories burned 1900-2200 Kcal/h
- Handle for easy carrying
- Area of coverage 20m²
- Red Color
- NW 4.2kg / GW 4.8kg

- Capacidad del depósito 4.6L
- 9000 BTU/h
- High brightness incombustible glass fibre wick
- Combustible: Queroseno de iluminación blanco
- Consumo de combustible 0,2-0,25lt/h
- Potencia calorífica 1900-2200 Kcal/h
- Asa para facilitar el transporte
- SUPERFICIE DE COBERTURA 20m²
- Color rojo
- Peso neto 4.2kg / Peso bruto 4.8kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	1/1
32.5cm →	32.5cm →	32.5cm →	
32.5cm ↗	32.5cm ↗	32.5cm ↗	
44.5cm ↑	44.5cm ↑	44.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 105203

Operates in the most difficult weather conditions





- .
- .
- , ,
  .
- .
- .

WHY THEY STAND OUT

- Deliver powerful and instant heating for indoor and semi-outdoor spaces.
- LPG operation ensures efficient heating with long-lasting autonomy.
- Ideal for homes, holiday houses professional spaces, and hospitality areas.
- Equipped with safety systems for reliable everyday operation.
- Practical design with easy mobility and user-friendly operation.

GAS OUTDOOR HEATERS

Calefactores
de exterior

GAS MUSHROOM HEATER

ESTUFA DE GAS TIPO SETA

2 years warranty
años garantía



for video
SCAN ME

13KW

TECHNICAL SPECS
DATOS TÉCNICOS

147-29600
147-29601
890-50008

6202 316 60
6202 307 25
6202 000 00



15kg
15kg GAS TANK

REGULABLE TERMOSTATO
ADJUSTABLE THERMOSTAT

OUTDOOR USE

TIP - OVER SAFETY SWITCH

20m²
SUPERFICIE
AREA COVERAGE

- Piezoelectric Ilgnition
- Heating Power from 5.0KW up to 13.KW
- Gas Consumption 1000-450g/h
- Gas Butane-Propane
- Gas Pressure: Butane/Propane 30mbar
- 15kg Gas Tank
- Gas tank Housing D: 37.8cm, H: 72.5cm
- **Gas Hose L:140cm, :8mm**
- Packaging includes gas hose and regulator
- Handles & wheels for easy carrying
- Area of coverage 20m²
- Black Color 147-29600
- Silver Color 147-29601
- Black Color 890-50008
- NW 14.5kg / GW 17.5kg

CARTON BOX

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	1/1
46.0cm	46.0cm	81.0cm	
46.0cm	46.0cm	81.0cm	
88.0cm	88.0cm	221.0cm	

SCAN ME
EUROLAMP B2B
147-29600
5 207227 003257

SCAN ME
EUROLAMP B2B
147-29601
5 207227 028847

olèyca
SCAN ME
EUROLAMP B2B
890-50008
5 200251 351233

SCAN ME
EUROLAMP B2B
147-29600
147-29601
890-50008

6202 056 15

SCAN ME
EUROLAMP B2B
5 207227 028991




CIRCULAR GAS HEATER

ESTUFA DE GAS CIRCULAR

2 years warranty
años garantía





smart
storage

11KW

TECHNICAL SPECS
DATOS TÉCNICOS

300-42071
890-50011
6202 548 90
6202 000 00

15kg
15kg GAS TANK

REGULABLE TERMOSTATO
ADJUSTABLE THERMOSTAT

OUTDOOR USE

TIP - OVER SAFETY SWITCH

15m²
SUPERFICIE
AREA COVERAGE



- Electronic Ignition
- Heating Power from 5.0KW up to 11.KW
- Gas Consumption 945g/ h
- Gas Butane-Propane
- Gas Pressure: Butane/ Propane 30mbar
- 15kg Gas Tank
- Gas tank Housing D: 37.8cm, H: 76.5cm
- **Gas Hose L:60cm, :8mm**
- Packaging includes gas hose and regulator
- Handles for easy carrying
- Area of coverage 15m²
- Black Color 300-42071
- Inox Color 890-50011
- NW 15.5kg / GW 21.0kg

CARTON BOX

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
57.5cm	57.5cm	53.0cm	
53.0cm	53.0cm	53.0cm	
97.5cm	97.5cm	180.0cm	

SCAN ME
EUROLAMP B2B
300-42071

5 207227 193231

SCAN ME
EUROLAMP B2B
890-50011

5 200251 351288

GAS TOWER HEATER

ESTUFA DE GAS TIPO TORRE

2 years warranty
años garantía




13KW

TECHNICAL SPECS
DATOS TÉCNICOS

300-42073
6202 000 00

15kg GAS TANK	REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT	OUTDOOR USE	TIP - OVER SAFETY SWITCH	SUPERFICIE AREA COVERAGE
15kg				20m²



- Piezoelectric Ignition
- Heating Power from 5.0KW up to 13.KW
- Gas Consumption 450-945g/h
- Gas Butane-Propane
- Gas Pressure: Butane/Propane 30mbar
- 15kg Gas Tank
- Gas tank Housing L: 47cm, H: 58cm
- **Gas Hose L:140cm, : 0.6cm**
- Packaging includes gas hose and regulator
- Handles for easy carrying
- Area of coverage 20m²
- Black Color
- NW 22kg / GW 28kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
1370cm	1370cm	53.0cm	1/1
77.0cm	77.0cm	53.0cm	
18.0cm	18.0cm	222cm	

SCAN ME
EUROLAMP B2B

5 207227 638961

SCAN ME
EUROLAMP B2B **6202 074 95**

SCAN ME
EUROLAMP B2B

5 207227 029004



MINI GAS TOWER HEATER

ESTUFA DE GAS TIPO TORRE MINI

2 years warranty
años garantía



.

The LPG cylinder is **NOT** placed inside the heater.

3KW

TECHNICAL SPECS
DATOS TÉCNICOS

147-29624
6202 326 45

15kg
15kg GAS TANK

REGULABLE TERMOSTATO
ADJUSTABLE THERMOSTAT

OUTDOOR USE

TIP - OVER SAFETY SWITCH

10m²
SUPERFICIE
AREA COVERAGE



- Electronic Ignition
- 4 Side Safety Grid System
- Heating Power from 2KW up to 3.KW
- Gas Consumption 150g/ h
- Gas Butane-Propane
- Gas Pressure: Butane/ Propane 30mbar
- 15kg Gas Tank
- **Gas Hose L: 60cm, : 0.8cm**
- Packaging includes gas hose and regulator
- Handles for easy carrying
- Area of coverage 10m²
- Inox Color
- NW 5.0kg / GW 6.0kg

CARTON BOX

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
30.0cm	30.0cm	23.0cm	
30.0cm	30.0cm	23.0cm	
94.0cm	94.0cm	89.0cm	

SCAN ME
EUROLAMP B2B

5 207227 056178

MINI CIRCULAR GAS HEATER

ESTUFA DE GAS CIRCULAR MINI

2 years warranty
años garantía





11KW

TECHNICAL SPECS
DATOS TÉCNICOS

300-42072
147-29620
890-50013

6202 416 60
6202 450 40
6202 000 00



15kg GAS TANK	REGULABLE TERMOSTATO / ADJUSTABLE THERMOSTAT	OUTDOOR USE	TIP - OVER SAFETY SWITCH	SUPERFICIE / AREA COVERAGE
15kg				13m²

- Electronic Ignition
- Heating Power from 5.0KW up to 11.KW
- Gas Consumption 800g/ h
- Gas Butane-Propane
- Gas Pressure:
  Butane/ Propane 30mbar
- 15kg Gas Tank
- Gas tank Housing
  D: 38.0cm, H: 69.5cm
- **Gas Hose L: 60cm, : 0.8cm**
- Packaging includes
  gas hose and regulator
- Handles for easy carrying
- Area of coverage 13m²
- Black Color 300-42072
- Inox Color 147-69620
- Inox Color 890-50013
- NW 12.0kg / GW 15.0kg

CARTON BOX

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
46.0cm	46.0cm	46.0cm	1/1
46.0cm	46.0cm	46.0cm	
88.0cm	88.0cm	135.0cm	

SCAN ME EUROLAMP B2B 147-29620
5 207227 056161

SCAN ME EUROLAMP B2B 300-42072
5 207227 193248

SCAN ME EUROLAMP B2B 890-50013
5 200251 351301



- .
- , .
- .
- .

WHY THEY STAND OUT

- High heating performance for professional and demanding environments.
- Ideal for workshops, warehouses, stores and industrial applications.
- Durable construction designed for intensive everyday use.
- Fast heat output for immediate coverage of large areas.


OUTDOOR & INDUSTRIAL USE HEATERS

Calefactores
de exterior
& de uso profesional

WALL MOUNTED HEATER WITH GOLDEN TUBES & REMOTE CONTROL

2 years warranty
años garantía

ESTUFA MURAL CON TUBOS GOLDEN Y MANDO A DISTANCIA




2000W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

147-29565
6202 186 00



GOLDEN TUBE
GOLDEN TUBE HEATING ELEMENT

WITH REMOTE CONTROL

IP65
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

15m²
SUPERFICIE
AREA COVERAGE



- Golden Tubes heating element
- 3 Setting Options
  750W / 1500W / 2000W
- Remote Control
- ON/OFF switch
- Installation Height 1.8-2.0m
- Area of coverage 15m²
- Silver Color
- NW 2.2kg / GW 2.7kg

• ELEMENTO CALEFACTOR Golden Tube
• 3 niveles de funcionamiento 750W / 1500W / 2000W
• MANDO A DISTANCIA
• Interruptor de encendido/apagado
• Altura de instalación 1.8-2.0m
• SUPERFICIE DE COBERTURA 15m²
• Color plata
• Peso neto 2.2kg /Peso bruto 2.7kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
67.5cm →	67.5cm →	64.0cm →	
15.0cm ↗	15.0cm ↗	16.2cm ↗	
18.0cm ↑	18.0cm ↑	10.5cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 074707

WALL MOUNTED HEATER WITH GOLDEN TUBES & REMOTE CONTROL

2 years warranty
años garantía

ESTUFA MURAL CON TUBOS GOLDEN Y MANDO A DISTANCIA



for video
SCAN ME

3000W
GOLDEN TUBE HEATING ELEMENT

TECHNICAL SPECS
DATOS TÉCNICOS

300-42040
6202 253 70


220-240V ~ 50/60Hz

GOLDEN TUBE

WITH REMOTE CONTROL

IP65
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

30m²
SUPERFICIE
AREA COVERAGE



- Golden Tubes heating element
- 3 Setting Options
  1000W / 2000W / 3000W
- Remote Control
- ON/OFF switch
- Installation Height 1.8-2.0m
- Area of coverage 30m²
- Silver Color
- NW 3.5kg / GW 4.3kg

• ELEMENTO CALEFACTOR Golden Tube
• 3 niveles de funcionamiento 1000W / 2000W / 3000W
• MANDO A DISTANCIA
• Interruptor de encendido/apagado
• Altura de instalación 1.8-2.0m
• SUPERFICIE DE COBERTURA 30m²
• Color plata
• Peso neto 3.5kg /Peso bruto 4.3kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
100.0cm ↔	100.0cm ↔	105.0cm ↔	
18.0cm ↗	18.0cm ↗	16.2cm ↗	
15.0cm ↑	15.0cm ↑	10.5cm ↑	


SCAN ME
EUROLAMP B2B

5 207227 105791

WALL MOUNTED HEATER WITH QUARTZ TUBES

ESTUFA MURAL CON TUBOS DE CUARZO

2 years warranty
2 años garantía




2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-42002
890-50015
6202 129 55
6202 000 00

220-240V
~ 50/60Hz




QUARTZ TUBES
HEATING ELEMENT

REGULABLE TERMOSTATO
ADJUSTABLE THERMOSTAT

IP34
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

20m²
SUPERFICIE
AREA COVERAGE



- Adjustable hermostat
- Quartz heating element
- 1 Setting Option
  2000W
- ON/OFF switch
- Installation Height 1.8-2.0m
- Area of coverage 20m²
- Aluminium & Plastic
- Silver & Black Color
- NW 2.75kg / GW 3.6kg

-
-
- 1
  2000W
- ON/OFF
- 1.8-2.0m
- 20m²
- &
- &
- NW 2.75kg / GW 3.6kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
91.0cm →	91.0cm →	86.5cm →	
13.5cm ↗	13.5cm ↗	9.0cm ↗	
23.5cm ↑	23.5cm ↑	23.5cm ↑	

SCAN ME
EUROLAMP B2B
300-42002

5 207227 104961

SCAN ME
EUROLAMP B2B
890-50015

5 200251 351523

SCAN ME
EUROLAMP B2B
300-42002
890-50015

6202 055 90

SCAN ME
EUROLAMP B2B

5 207227 109270



WALL MOUNTED HEATER WITH QUARTZ TUBES

ESTUFA MURAL CON TUBOS DE CUARZO

2 years warranty
2 años garantía




3000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-42003
890-50016
6202 140 80
6202 000 00

220-240V
~ 50/60Hz




GOLDEN TUBE
GOLDEN TUBE
HEATING ELEMENT

REGULABLE
TERMOSTATO
ADJUSTABLE
THERMOSTAT

IP34
GRADO
DE PROTECCIÓN
TYPE OF
PROTECTION

30m²
SUPERFICIE
AREA
COVERAGE



- Adjustable hermostat
- Quartz heating element
- 1 Setting Option
  3000W
- ON / OFF switch
- Installation Height 1.8-2.0m
- Area of coverage 30m²
- Aluminium & Plastic
- Silver & Black Color
- NW 3.2kg / GW 4kg

-
-
- 1
  3000W
- ON/OFF
- 1.8-2.0m
- 30m²
- &
- &
- NW 3.2kg / GW 4kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
105.0cm	105.0cm	100.5cm	
13.5cm	13.5cm	9.0cm	
23.5cm	23.5cm	23.5cm	

SCAN ME
EUROLAMP B2B
300-42003

5 207227 104978

SCAN ME
EUROLAMP B2B
890-50016

5 200251 351530

SCAN ME
EUROLAMP B2B
300-42003
890-50016

6202 055 90

SCAN ME
EUROLAMP B2B


5 207227 109270



WALL MOUNTED HEATER WITH QUARTZ TUBES & REMOTE CONTROL

ESTUFA MURAL CON TUBOS DE CUARZO Y MANDO A DISTANCIA

2 years warranty
años garantía



for video
SCAN ME

2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-42010
6202 132 35

220-240V
~ 50/60Hz

.	24 RS		IP20	20m²
QUARTZ TUBES HEATING ELEMENT	24 HORAS TEMPORIZADOR / 24 HOURS TIMER	WITH REMOTE CONTROL	GRADO DE PROTECCIÓN / TYPE OF PROTECTION	SUPERFICIE / AREA COVERAGE



- Led digital screen
- Adjustable hermostat
- Quartz heating element
- 3 Setting Options
  650W / 1350W / 2000W
- 24 Hours timer
- Indicating operation light
- Remote Control
- Installation Height 1.8-2.0m
- Area of coverage 20m²
- Silver & Black Color
- NW 2.8kg / GW 3.5kg

- Led
-
-
- 3
  650W / 1350W / 2000W
- 24
-
-
- 1.8-2.0m
- 20m²
- &
- NW 2.8kg / GW 3.5kg

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
91.0cm →	91.0cm →	86.5cm →	1/1
13.5cm ↗	13.5cm ↗	9.0cm ↗	
23.5cm ↑	23.5cm ↑	23.5cm ↑	

SCAN ME
EUROLAMP B2B
5 207227 104985

SCAN ME
EUROLAMP B2B

6202 055 90



SCAN ME
EUROLAMP B2B
5 207227 109270



TOWER HEATER WITH CARBON TUBES

ESTUFA TIPO TORRE CON TUBOS DE CARBONO

2 years warranty
años garantía




800W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-42053
6202 136 85



CARBON TUBES
.
CARBON TUBES
HEATING ELEMENT

REGULABLE TERMOSTATO
ADJUSTABLE THERMOSTAT

TIP - OVER SAFETY SWITCH

IPX4
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

8m²
SUPERFICIE
AREA COVERAGE



- Adjustable hermostat
- Handles for easy carrying
- Tip Over Safety Switch
- Area of coverage 8m²
- Metal & plastic
- Black Color
- Cord length 185cm
- NW 2.7kg / GW 3.2kg

-
-
-
- 8m²
- &
-
- 185cm
- NW 2.7kg / GW 3.2kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
49.0cm →	49.0cm →	22.8cm →	
26.0cm ↗	26.0cm ↗	21.6cm ↗	
26.5cm ↑	26.5cm ↑	46.0cm ↑	


SCAN ME
EUROLAMP B2B

5 207227 387616

TOWER HEATER WITH CARBON TUBES

ESTUFA TIPO TORRE CON TUBOS DE CARBONO

2 years warranty
años garantía



1500W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-42052
6202 129 65



CARBON TUBES
.
CARBON TUBES
HEATING ELEMENT

REGULABLE TERMOSTATO
ADJUSTABLE THERMOSTAT

TIP - OVER SAFETY SWITCH

IPX4
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

12m²
SUPERFICIE
AREA COVERAGE



- Adjustable hermostat
- Handles for easy carrying
- Tip Over Safety Switch
- Area of coverage 12m²
- Metal & plastic
- Black Color
- Cord length 185cm
- NW 3.1kg / GW 3.6kg

-
-
-
- 12m²
- &
-
- 185cm
- NW 3.1kg / GW 3.6kg

CARTON BOX DIMENSIONS	COLOR BOX DIMENSIONS	PRODUCT DIMENSIONS	PACKING
68.0cm 26.0cm 26.5cm	68.0cm 26.0cm 26.5cm	22.8cm 21.6cm 67.5cm	1/1

SCAN ME
EUROLAMP B2B

5 207227 387609

CEILING MOUNTED HALOGEN HEATER

ESTUFA HALÓGENA DE TECHO

2 years warranty
2 años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

300-42100
147-29173

6202 134 50
6202 182 10

220-240V
~ 50/60Hz

HALOGEN TUBES
HEATING ELEMENT

()

PULL SWITCH

IP24

GRADO DE PROTECCIÓN

TYPE OF PROTECTION

25m²

SUPERFICIE

AREA COVERAGE



- Halogen heating element
- 1 Setting Option
  2000W
- Pull Switch
- Installation Height 1.8-2.0m
- 1m Suspension Chain
- Area of coverage 25m²
- Silver Color 147-29173
- Black Color 300-42100
- NW 2.0kg / GW 2.9kg

• ELEMENTO CALEFACTOR HALÓGENO
• 1 nivel de funcionamiento 2000W
• Interruptor de cordón
• Altura de instalación 1.8-2.0m
• 1m Suspension Chain
• SUPERFICIE DE COBERTURA 25m²
• Color plata 147-29173
• Color negro 300-42100
• Peso neto 2.0kg / Peso bruto 2.9kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
45.5cm	45.5cm	43.0cm	
43.0cm	43.0cm	43.0cm	
27.5cm	27.5cm	25.0cm	

SCAN ME
EUROLAMP B2B
300-42100

5 207227 105197

SCAN ME
EUROLAMP B2B
147-29173

5 206139 067081

CEILING MOUNTED HALOGEN HEATER WITH REMOTE CONTROL

2 years warranty
años garantía

ESTUFA HALÓGENA DE TECHO CON MANDO A DISTANCIA




2000W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50/60Hz

300-42101
6202 159 85



HALOGEN TUBES
HEATING ELEMENT

WITH
REMOTE CONTROL

IP24

GRADO
DE PROTECCIÓN

TYPE OF
PROTECTION

25m²

SUPERFICIE

AREA
COVERAGE



- Halogen heating element
- 3 Setting Options
  800W / 1200W / 2000W
- Remote Control
- ON/OFF switch
- Installation Height 1.8-2.0m
- Area of coverage 25m²
- Black Color
- NW 3.19kg / GW 3.35kg

• ELEMENTO CALEFACTOR HALÓGENO
• 3 niveles de funcionamiento 800W / 1200W / 2000W
• MANDO A DISTANCIA
• Interruptor de encendido/apagado
• Altura de instalación 1.8-2.0m
• SUPERFICIE DE COBERTURA 25m²
• Color negro
• Peso neto 3.19kg /Peso bruto 3.35kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
45.5cm ⇔	45.5cm ⇔	43.3cm ⇔	
43.0cm ↗	43.0cm ↗	43.0cm ↗	
27.5cm ↑	27.5cm ↑	25.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 142932

HEATER WITH QUARTZ TUBES

ESTUFA CON TUBOS DE CUARZO

2 years warranty
años garantía



for video
SCAN ME

2000W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29170
6202 129 55

220-240V
~ 50Hz



QUARTZ TUBES HEATING ELEMENT

TIP - OVER SAFETY SWITCH

IP24

GRADO DE PROTECCIÓN
TYPE OF PROTECTION

25m²

SUPERFICIE
AREA COVERAGE



- Quartz heating element
- 3 Setting Options
  650W / 1350W / 2000W
- Pull Switch
- Tip - Over
  Safety Switch
- Over heat protection
- Incline Angle 45º
- Area of coverage 25m²
- Adjustable height 1.80 - 2.10m
- Black Color
- NW 8.3kg / GW 9.3kg

• ELEMENTO CALEFACTOR DE CUARZO
• 3 niveles de funcionamiento 650W / 1350W / 2000W
• Interruptor de cordón
• Tip - Over Interruptor de seguridad
• PROTECCIÓN CONTRA SOBRECALENTAMIENTO
• Ángulo de inclinación 450
• SUPERFICIE DE COBERTURA 25m²
• Altura regulable 1.80 - 2.10m
• Color negro
• Peso neto 8.3kg /Peso bruto 9.3kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
53.0cm	53.0cm	50.0cm	
22.0cm	22.0cm	23.0cm	
52.0cm	52.0cm	210.0cm	

SCAN ME
EUROLAMP B2B

5 206139 067043

WALL MOUNTED HEATER WITH QUARTZ TUBES

ESTUFA MURAL CON TUBOS DE CUARZO

2 years warranty
años garantía



2000W

TECHNICAL SPECS
DATOS TÉCNICOS

220-240V
~ 50Hz

147-29172
6202 092 85

QUARTZ TUBES
HEATING ELEMENT

()

PULL SWITCH

IP24


GRADO DE PROTECCIÓN

TYPE OF PROTECTION

25m²

SUPERFICIE

AREA COVERAGE



- Quartz heating element
- 3 Setting Options
  650W / 1350W / 2000W
- Pull Switch
- Area of coverage 25m²
- Black Color
- NW 2.0kg / GW 2.3kg

• ELEMENTO CALEFACTOR DE CUARZO
• 3 niveles de funcionamiento 650W / 1350W / 2000W
• Interruptor de cordón
• SUPERFICIE DE COBERTURA 25m²
• Color negro
• Peso neto 2.0kg / Peso bruto 2.3kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
53.0cm →	53.0cm →	50.0cm →	
24.7cm ↗	24.7cm ↗	17.0cm ↗	
27.0cm ↑	27.0cm ↑	36.0cm ↑	

SCAN ME
EUROLAMP B2B

5 206139 067067

INDUSTRIAL-USE FAN HEATER

AEROTERMO INDUSTRIAL

3 years warranty
años garantía



5000W

147-29503
6202 312 80

TECHNICAL SPECS
DATOS TÉCNICOS

400V3, 3|3

0dB

REGULABLE TERMOSTATO ADJUSTABLE THERMOSTAT		PROTECCIÓN OVER HEAT PROTECTION	GRADO DE PROTECCIÓN TYPE OF PROTECTION	SUPERFICIE AREA COVERAGE
	HEATING		IP24	70m²



- 3P+N Three Phase Current
- Adjustable Thermostat
- 2 Setting Options 2500W / 5000W
- Air Function (Fan)
- Long & Equable Heating
- Overheat Protection System
- Steel Frame
- Cable H07RN-F 4G1.5mm 2 1.4m
- Area of coverage 70m²
- Red Color
- NW 6.5kg / GW 7.8kg

- 3P+N Corriente trifásica
- TERMOSTATO REGULABLE
- 2 niveles de funcionamiento 2500W / 5000W
- Función de ventilación
- CALOR UNIFORME Y DURADERO
- Sistema de protección contra sobrecalentamiento
- Estructura de acero
- Cable H07RN-F 4G1.5mm 2 1.4m
- SUPERFICIE DE COBERTURA 70m²
- Color rojo
- Peso neto 6.5kg / Peso bruto 7.8kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	DIMENSIONS	DIMENSIONS	1/1
33.3cm →	33.3cm →	31.0cm →	
32.3cm ↗	32.3cm ↗	32.0cm ↗	
48.0cm ↑	48.0cm ↑	45.0cm ↑	

SCAN ME
EUROLAMP B2B

5 207227 058158

INDUSTRIAL-USE FAN HEATER

AEROTERMO INDUSTRIAL

3 years warranty
años garantía



for video
SCAN ME

15000W

TECHNICAL SPECS
DATOS TÉCNICOS

147-29505
6202 625 35

400V3, 3|3

0dB

REGULABLE TERMOSTATO
ADJUSTABLE THERMOSTAT

HEATING

PROTECCIÓN
OVER HEAT PROTECTION

IP24
GRADO DE PROTECCIÓN
TYPE OF PROTECTION

190m²
SUPERFICIE
AREA COVERAGE



- 3P+N Three phase current
- Adjustable thermostat
- 3 Setting options
  5000W / 10000W / 15000W
- Air function (fan)
- Long & equable heating
- Overheat protection system
- Steel frame
- With socket
  (without connection cable)
- Area of coverage 190m²
- Red color
- NW 15.0kg / GW 16.7kg

- 3P+N Corriente trifásica
- TERMOSTATO REGULABLE
- 3 niveles de funcionamiento
  5000W / 10000W / 15000W
- Función de ventilación
- CALOR UNIFORME Y DURADERO
- Sistema de protección contra sobrecalentamiento
- Estructura de acero
- Con toma de corriente
  (sin cable de conexión)
- SUPERFICIE DE COBERTURA 190m²
- Color rojo
- Peso neto 15.0kg / Peso bruto 16.7kg

CARTON BOX	COLOR BOX	PRODUCT	PACKING
DIMENSIONS	*DIMENSIONS*	*DIMENSIONS*	**1/1**
46.0cm	46.0cm	39.5cm	
42.5cm	42.5cm	43.5cm	
57.0cm	57.0cm	53.5cm	

SCAN ME
EUROLAMP B2B

5 207227 058165

SPARE PARTS CODE INDEX & NOTES

Recambios

Índice de referencias

& Notas

SPARE PARTS

WATER DISPENSERS

ITEM CODE	SPARE PART	DESCRIPCIÓN	DESCRIPTION
920-29708	920-29791	DESAGÜE 920-29702/920-29708	DRAIN VALVE FOR 920-29702/920-29708
	920-29792	DESAGÜE 920-29702/920-29708	DRIP BOX FOR 920-29702/920-29708
	920-29793	DEL DEPÓSITO DESAGÜE 920-29702/920-29708	DRIP BOX COVER FOR 920-29702/ 920-29708
	920-29794	920-29702/920-29708	COLD/BLUE TAP FOR 920-29702/ 920-29708
	920-29795	920-29702/920-29708	HOT/RED TAP FOR 920-29702/920-29708
	920-29796	920-29702/920-29703/920-29708/920-29709	BOTTLE DISH FOR 920-29702/920-29703/920-29708/920-29709
920-29709	920-29796	920-29702/920-29703/920-29708/920-29709	BOTTLE DISH FOR 920-29702/920-29703/ 920-29708/920-29709
	920-29797	DESAGÜE 920-29703/920-29709	DRIP BOX FOR 920-29703/920-29709
	920-29798	DEL DEPÓSITO DESAGÜE 920-29703/920-29709	DRIP BOX COVER FOR 920-29703/920-29709
	920-29799	920-29703/920-29709	COLD/BLUE TAP FOR 920-29703/920-29709
	920-29800	920-29703/920-29709	HOT/RED TAP FOR 920-29703/920-29709
	920-29801	920-29703/920-29709	NORMAL TAP FOR 920-29703/920-29709
	920-29802	920-29703/920-29709	BOTTLE DISH FOR 920-29703/920-29709
	920-29803	TERMOSTATO 920-29703/920-29709	COLD THERMOSTAT FOR 920-29703/920-29709
	920-29804	920-29703/920-29709	CABINET MIDDLE PANEL FOR 920-29703/920-29709
920-29707	920-29805	920-29707	HOT/RED TAP FOR 920-29707
	920-29806	920-29707	COLD/BLUE TAP FOR 920-29707
	920-29807	920-29707	NORMAL TAP FOR 920-29707
	920-29808	920-29707	HOT TANK FOR 920-29707
	920-29809	920-29707	HEATING SWITCH FOR 920-29707
	920-29810	920-29707	COOLING SWITCH FOR 920-29707
	920-29811	920-29707	COMPRESSOR FOR 920-29707

A / DEHUMIDIFIERS

ITEM CODE	SPARE PART	DESCRIPCIÓN	DESCRIPTION
300-95008	300-95106	300-95006/300-95007/300-95008/300-95009	FILTER FOR 300-95006/300-95007/300-95008/300-95009
300-95008	300-95129	DEL DEPÓSITO 300-95008/300-95009	FLOATER FOR 300-95008/300-95009
300-95009	300-95125	300-95006/300-95007/300-95008/300-95009	PCB WITH SCREEN FOR 300-95006/300-95007/300-95008/300-95009
300-95009	300-95124	300-95006/300-95007/300-95008/300-95009	MAIN PCB WITH SENSOR FOR 300-95006/300-95007/300-95008/300-95009
300-95009	300-95106	300-95006/300-95007/300-95008/300-95009	FILTER FOR 300-95006/300-95007/300-95008/300-95009
300-95009	300-95111	300-95007/300-95009	TANK FOR 300-95007/300-95009
300-95009	300-95129	DEL DEPÓSITO 300-95008/300-95009	FLOATER FOR 300-95008/300-95009
300-95010	300-95109	- 300-95010	FILTER-MESH FOR 300-95010
300-95010	300-95128	300-95010	SCREEN PCB FOR 300-95010
300-95010	300-95127	300-95010	SENSOR PCB FOR 300-95010
300-95010	300-95126	300-95010	MAIN PCB FOR 300-95010
300-95010	300-95107	300-95010/300-95012	FILTER FOR 300-95010/300-95012
300-95012	300-95107	300-95010/300-95012	FILTER FOR 300-95010/300-95012
300-95013	300-95130	300-95013	MAIN PCB FOR 300-95013
300-95013	300-95131	300-95013	SCREEN PCB FOR 300-95013
300-95013	300-95132	300-95013	SENSOR PCB FOR 300-95013

HEATERS

ITEM CODE	SPARE PART			DESCRIPTION
147-29113	300-99065	RESISTANCES for 147-29113		RESISTANCES for 147-29113
147-29121	300-99058	Interruptor de cordón FOR 147-29121		PULL SWITCH FOR 147-29121
	300-99057	REPLACEMENT LAMP for 147-29121		REPLACEMENT LAMP for 147-29121
147-29122	300-99063	147-29122/147-29125/147-29126/300-41205		HEATING ELEMENT FOR 147-29122/147-29125/147-29126/300-41205
147-29125	300-99063	147-29122/147-29125/147-29126/300-41205		HEATING ELEMENT FOR 147-29122/147-29125/147-29126/300-41205
147-29126	300-99063	147-29122/147-29125/147-29126/300-41205		HEATING ELEMENT FOR 147-29122/147-29125/147-29126/300-41205
147-29128	300-99061	147-29128		PCB BOARD for 147-29128
	300-99062	147-29128		REMOTE CONTROL FOR 147-29128
147-29151	300-99038	147-29151/147-29152/147-29163/920-		SWITCH FOR 147-29151/147-29152/147-29163/920-29163
	300-99005	600W . 147-29151/ 147-		REPLACEMENT LAMP TOP FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99040	147-29151/147-29152/ 147-29700/147-		SINGLE SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-80006
	300-99006	600W . 147-29151/147-		REPLACEMENT LAMP FRONT FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99047	147-29151/ 147-29152/147- 41351/300-41352	00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
147-29152	300-99038	147-29151/147-29152/147-29163/920-		SWITCH FOR 147-29151/147-29152/147-29163/920-29163
	300-99005	600W . 147-29151/ 147-		REPLACEMENT LAMP TOP FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99040	147-29151/147-29152/ 147-29700/147-		SINGLE SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-80006
	300-99006	600W . 147-29151/ 147-		REPLACEMENT LAMP FRONT FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99047	147-29151/ 147-29152/147- 41351/300-41352	00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
147-29156	300-99008	400W . 147-29156/300-		REPLACEMENT LAMP FRONT FOR CODES 147-29156/300-80007/300-41405
	300-99007	400W . 147-29156/300-		REPLACEMENT LAMP TOP FOR CODES 147-29156/300-80007/300-41405
	300-99047	147-29151/ 147-29152/147- 41351/300-41352	00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
147-29162	300-99039	147-29162/ 147-29163/147-		TIP OVER SWITCH FOR 147-29162/147-29163/147-29165/920-29163
	300-99147	147-29162/300-80003/147-29165		SWITCH PLASTIC COVER FOR 147-29162/300-80003/147-29165
	300-99046	147-29162/300-		SWITCH FOR 147-29162/300-80003/147-29165
	300-99051	147-29162/300-80003/147-29165		GRILL FOR 147-29162/300-80003/147-29165
	300-99050	+ 147-29162/147-29163/300-		REPLACEMENT LAMP + LAMP CLIP FOR 147-29162/147-29163/300-80003/147-29165
147-29163	300-99038	147-29151/147-29152/147-29163/920-		SWITCH FOR 147-29151/147-29152/147-29163/920-29163
	300-99039	147-29162/147-29163/147-		TIP OVER SWITCH FOR 147-29162/147-29163/147-29165/920-29163
	300-99043	147-29163/920-29163		GRILL FOR 147-29163/920-29163
	300-99050	+ 147-29162/147-29163/300-		REPLACEMENT LAMP + LAMP CLIP FOR 147-29162/147-29163/300-80003/147-29165
147-29165	300-99039	147-29162/147-29163/147-		TIP OVER SWITCH FOR 147-29162/147-29163/147-29165/920-29163
	300-99147	147-29162/300-80003/147-29165		SWITCH PLASTIC COVER FOR 147-29162/300-80003/147-29165
	300-99046	147-29162/300-		SWITCH FOR 147-29162/300-80003/147-29165
	300-99051	147-29162/300-80003/147-29165		GRILL FOR 147-29162/300-80003/147-29165
	300-99050	+ 147-29162/147-29163/300-		REPLACEMENT LAMP + LAMP CLIP FOR 147-29162/147-29163/300-80003/147-29165
147-29170	300-99080	147-29170 / 890-50004		REPLACEMENT LAMP for 147-29170 / 890-50004
147-29172	300-99003	. 147-29172/ 890-50005/300-80005		REPLACEMENT LAMP FOR CODES 147-29172/890-50005/300-80005
147-29178	147-29179	147-29178		BASE STAINLESS STEEL POLE FOR CODE 147-29178
147-29202	300-99149	147-29202 147-29203 4 PIN		CONTROL FOR 147-29202 AND 147-29203 4 PIN
	300-99146	147-29202 147-29203 5 PIN		CONTROL FOR HEATED UNDERBLANKET 147-29202 AND 147-29203 5 PIN
147-29203	300-99149	147-29202 147-29203 4 PIN		CONTROL FOR 147-29202 AND 147-29203 4 PIN
	300-99146	147-29202 147-29203 5 PIN		CONTROL FOR HEATED UNDERBLANKET 147-29202 AND 147-29203 5 PIN
147-29400	147-29401	147-29400+920-29400		WALL MOUNTED ACCESSORIES FOR CODE 147-29400+920-29400

ITEM CODE	SPARE PART			DESCRIPTION
	300-99064	RESISTANCES FOR 147-29400		RESISTANCES FOR 147-29400
147-29430	300-99034	PCB FOR 147-29430		PCB FOR 147-29430
	300-99191			TEMPERED GLASS FOR 147-29430
	300-99033	ELEMENTO CALEFACTOR FOR 147-29430		HEATING ELEMENT FOR 147-29430
	300-99037	147-29430		WHITE STRIP FOR 147-29430
147-29460	300-99202	147-29460/147-29461/300-41702		THERMAL SAFETY CUT-OUT FOR 147-29460/147-29461/300-41702
	300-99067	9 147-29460		WHEELS FOR OIL RADIATOR 9 RIBS FOR 147-29460
147-29461	300-99068	11 147-29461		WHEELS FOR OIL RADIATOR 11 RIBS FOR 147-29461
	300-99202	147-29460/147-29461/300-41702		THERMAL SAFETY CUT-OUT FOR 147-29460/147-29461/300-41702
	300-99154	147-29461		BASE FOR WHEELS FOR 147-29461
147-29503	300-99084	147-29503		RELAY FOR 147-29503
147-29505	300-99161	147-29505		RELAY FOR 147-29505
147-29565	300-99165	147-29565		LAMP FOR 147-29565
	300-99166	147-29565		CONTROL FOR 147-29565
147-29600	300-99195	147-29600/147-29601/147-29604/890-50008		SCREWS FOR 147-29600/147-29601/147-29604/890-50008
	300-99020	147-29600/147-29601/ 147-	300-	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
		80014/890-50009		
	300-99000	147-29600/147-		WHOLE BURNER FOR MUSHROOM GAS HEATER 147-29600/147-29601/147-29604/890-50008
	300-99092	147-29600/147-		PIEZOELECTRIC IGNITOR FOR GAS MUSHROOM 147-29600/147-29601/147-29604/890-50008
147-29601	300-99195	147-29600/147-29601/147-29604/890-50008		SCREWS FOR 147-29600/147-29601/147-29604/890-50008
	300-99020	147-29600/147-29601/147-	/300-	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
		80014/890-50009		
	300-99000	147-29600/147-		WHOLE BURNER FOR MUSHROOM GAS HEATER 147-29600/147-29601/147-29604/890-50008
	300-99092	147-29600/147-		PIEZOELECTRIC IGNITOR FOR GAS MUSHROOM 147-29600/147-29601/147-29604/890-50008
147-29604	300-99195	147-29600/147-29601/147-29604/890-50008		SCREWS FOR 147-29600/147-29601/147-29604/890-50008
	300-99020	147-29600/147-29601/147-	/300-	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
		80014/890-50009		
	300-99000	147-29600/147-		WHOLE BURNER FOR MUSHROOM GAS HEATER 147-29600/147-29601/147-29604/890-50008
	300-99092	147-29600/147-		PIEZOELECTRIC IGNITOR FOR GAS MUSHROOM 147-29600/147-29601/147-29604/890-50008
147-29605	300-99020	147-29600/147-29601/147-	/300-	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
		80014/890-50009		
	300-99089	147-29605 / 890-50010		GLASS FOR GAS TOWER FOR 147-29605 / 890-50010
	300-99129	147-29605/147-29624/890-50010		IGNITOR WITH BATTERY FOR 147-29605/147-29624/890-50010
	300-99192	147-29605/890-50010		IGNITION SYSTEM FOR TOWER 147-29605/890-50010
147-29608	300-99143	147-29608/147-29609/300-42071/890-		ROUND GLASS FOR 147-29608/147-29609/300-42071/890-50011/890-50012
	300-99145	147-29608/147-		ELECTRONIC IGNITOR FOR 147-29608/147-29609/300-42071/890-50011/890-50012/147-29620/300-42072
147-29609	300-99143	147-29608/147-29609/300-42071/890-		ROUND GLASS FOR 147-29608/147-29609/300-42071/890-50011/890-50012
	300-99145	147-29608/147-		ELECTRONIC IGNITOR FOR 147-29608/147-29609/300-42071/890-50011/890-50012/147-29620/300-42072
147-29620	300-99145	147-29608/147-		ELECTRONIC IGNITOR FOR 147-29608/147-29609/300-42071/890-50011/890-50012/147-29620/300-42072
147-29624	300-99129	147-29605/147-29624/890-50010		IGNITOR WITH BATTERY FOR 147-29605/147-29624/890-50010
	300-99167	147-29624		REFLECTOR FOR 147-29624
	300-99168	147-29624		ROUND GLASS FOR 147-29624
147-29673	300-99020	147-29600/147-29601/147-	/890-	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
		50009		
147-29676	300-99020	147-29600/147-29601/147-	/890-	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
		50009		
	300-99031	147-29676		WHEEL FOR 147-29676
147-29700	300-99005	600W . 147-29151/147-		REPLACEMENT LAMP TOP FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99040	147-29151/147-29152/147-29700/147-		SINGLE SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-80006

ITEM CODE	SPARE PART		DESCRIPTION
	300-99006	REPLACEMENT LAMP FRONT FOR CODES 147-29151/147-29152/147-29700/147-	REPLACEMENT LAMP FRONT FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99047	147-29151/147-29152/147- 41351/300-41352 00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
147-29701	300-99005	REPLACEMENT LAMP TOP FOR CODES 147-29151/147-29152/147-29700/147-	REPLACEMENT LAMP TOP FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99164	147-29701 / 890-50006	CONTROL FOR 147-29701 / 890-50006
	300-99040	147-29151/147-29152/147-29700/147-	SINGLE SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-80006
	300-99006	600W . 147-29151/147-	REPLACEMENT LAMP FRONT FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99047	147-29151/147-29152/147- 41351/300-41352 00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
300-00003	300-99097	300-00003	GUN FOR HIGH PRESSURE WASHER FOR 300-00003
	300-99095	300-00003	wheel for high pressure washer for 300-00003
	300-99096	300-00003	nozzles for high pressure washer for 300-00003
300-29205	300-99207	300-29205/300-29206	CONTROL FOR HEATED UNDERBLANKET 300-29205/300-29206
300-29206	300-99207	300-29205/300-29206	CONTROL FOR HEATED UNDERBLANKET 300-29205/300-29206
300-41202	300-99198	300-41202	HEATING ELEMENT FOR 300-41202
300-41205	300-99063	147-29122/147-29125/147-29126/300-41205	HEATING ELEMENT FOR 147-29122/147-29125/147-29126/300-41205
300-41206	300-99174	300-41206 /300-41207	SWITCH FOR 300-41206 /300-41207
	300-99173	300-41206 /300-41207	HEATING ELEMENT FOR 300-41206 /300-41207
	300-99180	300-41206	HANDLE FOR 300-41206
300-41207	300-99174	300-41206 /300-41207	SWITCH FOR 300-41206 /300-41207
	300-99181	300-41207	HANDLE FOR 300-41207
	300-99173	300-41206 /300-41207	HEATING ELEMENT FOR 300-41206 /300-41207
300-41351	300-99151	300-41351 / 300-41352	TIP OVER SWITCH FOR 300-41351 / 300-41352
	300-99200	300-41351/300-41352	THERMAL SAFETY CUT-OUT FOR 300-41351/300-41352
	300-99047	147-29151/147-29152/147- 41351/300-41352 00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
300-41352	300-99151	300-41351 / 300-41352	TIP OVER SWITCH FOR 300-41351 / 300-41352
	300-99200	300-41351/300-41352	THERMAL SAFETY CUT-OUT FOR 300-41351/300-41352
	300-99047	147-29151/147-29152/147- 41351/300-41352 00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
300-41353	300-99201	300-41353	THERMAL SAFETY CUT-OUT FOR 300-41353
	300-99152	300-41353	SWITCH FOR 300-41353
	300-99153	300-41353	TIP OVER SWITCH 300-41353
300-41370	300-99227	300-41370	HEATING ELEMENT FOR 300-41370
	300-99228	300-41370	PIPES FOR 300-41370
	300-99229	300-41370	SWITCH FOR 300-41370
	300-99230		SHOE DRYER SPARE PART
300-41371	300-99212	300-41371	BRACKETS FOR 300-41371
	300-99213	300-41371	SWITCH FOR 300-41371
300-41401	300-99011	700W . 300-41401	REPLACEMENT LAMP FRONT FOR CODES 300-41401
	300-99199	300-42401	WICK FOR 300-42401
	300-99047	147-29151/147-29152/147- 41351/300-41352 00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
300-41402	300-99009	700W . 300-41402	REPLACEMENT LAMP FRONT FOR CODES 300-41402
	300-99047	147-29151/147-29152/147- 41351/300-41352 00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
	300-99219	300-41402	SWITCH FOR 300-41402
300-41403	300-99047	147-29151/147-29152/147- 41351/300-41352 00-	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
	300-99012	700W . 300-41403	REPLACEMENT LAMP TOP FOR CODES 300-41403
	300-99013	700W . 300-41403	REPLACEMENT LAMP FRONT FOR CODES 300-41403

ITEM CODE	SPARE PART		DESCRIPTION
300-41405	300-99008	REPLACEMENT LAMP FRONT FOR CODES 147-29156/300-80007/300-41405	REPLACEMENT LAMP FRONT FOR CODES 147-29156/300-80007/300-41405
	300-99007	REPLACEMENT LAMP TOP FOR CODES 147-29156/300-80007/300-41405	REPLACEMENT LAMP TOP FOR CODES 147-29156/300-80007/300-41405
	300-99047	147-29151/147-29152/147- 00- 41351/300-41352	TIP OVER SWITCH FOR 147-29151/147-29152/147-29700/147-29701/300-41405/147-29156/300-41401/300-41402/300-41403/300-41351/300-41352
300-41406	300-99216	300-41406	REPLACEMENT LAMP FOR 300-41406
	300-99217	300-41406	SWITCH FOR 300-41406
300-41407	300-99218	TERMOSTATO 300-41407	THERMOSTAT FOR 300-41407
300-41601	300-99214	300-41601	SWITCH FOR 300-41601
	300-99215	300-41601	HEATING ELEMENT FOR 300-41601
300-41606	300-99066	300-41606	RESISTANCES for 300-41606
300-41610	300-99085	MICA 300-41610	WHEELS FOR MICA 300-41610
300-41701	300-99071	11 300-41701	WHEELS FOR OIL RADIATOR 11 RIBS FOR 300-41701
300-41702	300-99202	147-29460/147-29461/300-41702	THERMAL SAFETY CUT-OUT FOR 147-29460/147-29461/300-41702
300-41750	300-99223	300-41750	REMOTE CONTROL FOR 300-41750
	300-99224	300-41750	PCB BOARD FOR 300-41750
	300-99225	300-41750	HEATING ELEMENT FOR 300-41750
	300-99226	300-41750	GLASS FOR 300-41750
300-42002	300-99014	2000W . 300-42002/ 300-	REPLACEMENT QUARTZ LAMP 2000W FOR CODES 300-42002/ 300-42010/890-50015
300-42003	300-99015	. 300-42003 / 890-50016	REPLACEMENT QUARTZ LAMP 3000W FOR CODE 300-42003/890-50016
300-42010	300-99073	300-42010	REMOTE CONTROL FOR 300-42010
	300-99014	2000W . 300-42002 / 300-42010	REPLACEMENT QUARTZ LAMP 2000W FOR CODES 300-42002 / 300-42010 / 890-50015
	300-99220	300-42010	PCB BOARD FOR 300-42010
300-42040	300-99075	300-42040	REMOTE CONTROL FOR 300-42040
	300-99074	300-42040 / 890-50020	REPLACEMENT LAMP for 300-42040 / 890-50020
300-42052	300-99221	300-42052	REPLACEMENT LAMP FOR 300-42052
	300-99222	300-42052	SWITCH FOR 300-42052
300-42070	300-99088	300-42070	IGNITION SYSTEM FOR 300-42070
	300-99086	300-42070	GLASS FOR 300-42070
300-42071	300-99143	147-29608/147-29609/300-42071/890-	ROUND GLASS FOR 147-29608/147-29609/300-42071/890-50011/890-50012
	300-99145	147-29608/147-	ELECTRONIC IGNITOR FOR 147-29608/147-29609/300-42071/890-50011/890-50012/147-29620/300-42072
300-42072	300-99145	147-29608/147-	ELECTRONIC IGNITOR FOR 147-29608/147-29609/300-42071/890-50011/890-50012/147-29620/300-42072
300-42101	300-99079	300-42101	remote control for 300-42101
	300-99078	2 300-42101	HEATING ELEMENT SET 2 LAMPS for 300-42101
300-42401	300-99193	() 300-42401	BURNER CHAMBER (SET) FOR 300-42401
	300-99199	300-42401	WICK FOR 300-42401
300-80003	300-99147	147-29162/300-80003/147-29165	SWITCH PLASTIC COVER FOR 147-29162/300-80003/147-29165
	300-99046	147-29162/300-	SWITCH FOR 147-29162/300-80003/147-29165
	300-99051	147-29162/300-80003/147-29165	GRILL FOR 147-29162/300-80003/147-29165
	300-99050	+ 147-29162/147-29163/300-	REPLACEMENT LAMP + LAMP CLIP FOR 147-29162/147-29163/300-80003/147-29165
300-80005	300-99003	. 147-29172/890-50005/300-80005	REPLACEMENT LAMP FOR CODES 147-29172/890-50005/300-80005
300-80006	300-99005	600W . 147-29151/147-	REPLACEMENT LAMP TOP FOR CODES 147-29151/ 147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
	300-99040	147-29151/147-29152/147-29700/147-	SINGLE SWITCH FOR 147-29151/147-29152/ 147-29700/147-29701/300-80006
	300-99006	600W . 147-29151/147-	REPLACEMENT LAMP FRONT FOR CODES 147-29151/147-29152/147-29700/147-29701/920-29152/300-80006/890-50006
300-80007	300-99008	400W . 147-29156/300-	REPLACEMENT LAMP FRONT FOR CODES 147-29156/300-80007/300-41405
	300-99007	400W . 147-29156/300-	REPLACEMENT LAMP TOP FOR CODES 147-29156/300-80007/300-41405
300-80011	300-99020	147-29600/147-29601/147- /890- 50009	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009

ITEM CODE	SPARE PART		DESCRIPTION
300-80013	300-99020	147-29600/147-29601/147- 50009 /890-	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99160	TIP-OVER INTERRUPTOR 300-80013/300-80014/890-50009	TIP-OVER SWITCH 300-80013/300-80014/890-50009
300-80014	300-99020	147-29600/147-29601/147- 50009 /890-	TIP OVER SWITCH FOR 147-29600/147-29601/147-29604/147-29605/147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99160	300-80013/300-80014/890-	TIP-OVER SWITCH 300-80013/300-80014/890-50009
300-85000	300-99069	MICA 300-85000	wheel for mica 300-85000
147-29173	300-99002	. 147-29173&300-42100	REPLACEMENT LAMP FOR CODES 147-29173&300-42100
	300-99076	147-29173	REPLACEMENT LAMP FOR 147-29173
147-29605	300-99090	147-29605 / 890-50010	FLAME SCREEN FOR GAS HEATER FOR 147-29605 / 890-50010
	300-99194	147-29605	REFLECTOR FOR 147-29605
147-29673	300-99018	147-29673/147-29676/300-80011/300-	IGNITOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99019	147-29673/147-29676/300-	IGNITOR CABLE FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99021	147-29673/147-29676/300-	SINGLE INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/890-50009
	300-99022	147-29673/147-29676/300-	DUAL INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
147-29676	300-99018	147-29673/147-29676/300-80011/300-	IGNITOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99019	147-29673/147-29676/300-	IGNITOR CABLE FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99021	147-29673/147-29676/300-	SINGLE INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/890-50009
	300-99022	147-29673/147-29676/300-	DUAL INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99024	147-29676	PLASTIC CONTROL BASE FOR 147-29676
	300-99025	147-29676	PLASTIC CONTROL KNOB FOR 147-29676
300-29204	300-99196	300-29204	REMOTE CONTROL FOR 300-29204
300-41356	300-99234	300-41356	TIP OVER SWITCH FOR 300-41356
	300-99235	300-41356	REMOTE CONTROL FOR 300-41356
300-41401	300-99010	700W . 300-41401	REPLACEMENT LAMP TOP FOR CODES 300-41401
300-41611	300-99236	TERMOSTATO 300-41611	THERMOSTAT FOR 300-41611
300-42002	300-99233	TERMOSTATO 300-42002/300-42003	THERMOSTAT FOR 300-42002/300-42003
300-42003	300-99233	TERMOSTATO 300-42002/300-42003	THERMOSTAT FOR 300-42002/300-42003
300-42100	300-99002	. 147-29173&300-42100	REPLACEMENT LAMP FOR CODES 147-29173&300-42100
300-42101	300-99232	300-42101	SWITCH FOR 300-42101
300-80011	300-99018	147-29673/147-29676/300-80011/300-	IGNITOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99019	147-29673/147-29676/300-	IGNITOR CABLE FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99021	147-29673/147-29676/300-	SINGLE INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/890-50009
	300-99022	147-29673/147-29676/300-	DUAL INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
300-80013	300-99018	147-29673/147-29676/300-80011/300-	IGNITOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99019	147-29673/147-29676/300-	IGNITOR CABLE FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99021	147-29673/147-29676/300-	SINGLE INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/890-50009
	300-99022	147-29673/147-29676/300-	DUAL INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
300-80014	300-99018	147-29673/147-29676/300-80011/300-	IGNITOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99019	147-29673/147-29676/300-	IGNITOR CABLE FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009
	300-99022	147-29673/147-29676/300-	DUAL INJECTOR FOR 147-29673/147-29676/300-80011/300-80013/300-80014/890-50009



CODE INDEX

CODE	p.
147- 29125	46
147- 29165	64
147-29113	80
147-29121	42
147-29122	43
147-29126	43
147-29128	41
147-29156	72
147-29163	66
147-29170	110
147-29172	111
147-29173	108
147-29400	78
147-29461	83

CODE	p.
147-29503	112
147-29505	113
147-29565	100
147-29600	94
147-29601	94
147-29620	98
147-29624	97
147-29676	90
147-29700	68
147-29701	68
300-20018	60
300-20019	61
300-29165	65
300-29204	34

CODE	p.
300-29205	32
300-29206	33
300-29207	30
300-29208	31
300-29209	35
300-41101	44
300-41102	44
300-41103	44
300-41109	52
300-41205	46
300-41206	49
300-41208	45
300-41209	45
300-41210	48

CODE	p.
300-41351	57
300-41354	58
300-41355	56
300-41356	54
300-41357	50
300-41370	38
300-41371	39
300-41372	40
300-41402	73
300-41403	74
300-41406	75
300-41407	69
300-41408	69
300-41409	67



CODE	p.
300-41410	70
300-41601	79
300-41605	81
300-41611	88
300-41702	82
300-41703	84
300-41704	85
300-41705	86
300-41706	87
300-41750	76
300-42002	102
300-42003	103
300-42010	104
300-42040	101

CODE	p.
300-42052	107
300-42053	106
300-42071	95
300-42072	98
300-42073	96
300-42100	108
300-42101	109
300-42401	92
300-80006	68
300-80011	91
300-95008	21
300-95012	23
300-95013	20
300-95014	22

CODE	p.
300-96000	18
300-96002	19
300-96003	18
890-50008	94
890-50011	95
890-50013	98
890-50015	102
890-50016	103
890-50017	57
890-50018	57
890-50019	55
920-29125	47
920-29163	66
920-29165	64

CODE	p.
920-29167	65
920-29710	26
920-29711	27
920-29712	28

EUROLAMP®

AIMUR®
ILUMINACION